

Health is excellent, very good, or good

Source National Health Interview Survey
 Description Health is excellent, very good, or good
 Item Would you say [fill: your/ALIAS's] health in general is excellent, very good, good, fair, or poor?

Overall Health - NHIS						
Health is excellent, very good, or good						
		2000	2006	2010	2011	2012
10-17	Total	98.1%	97.9%	97.5%	97.6%	97.3%
	White*	98.4%		98.3%	98.3%	97.9%
	Black	97.2%		94.7%	95.8%	95.8%
	Hispanic	97.0%		97.1%	96.7%	96.5%
	Asian	--		98.7%	98.4%	97.9%
	Male	97.7%		98.0%	97.9%	97.7%
	Female	98.4%		97.0%	97.3%	96.9%
18-25	Total	96.5%	95.9%	95.5%	95.6%	95.4%
	White	96.9%		96.3%	95.7%	95.8%
	Black	96.2%		93.3%	95.8%	94.3%
	Hispanic	95.6%		94.6%	94.6%	94.0%
	Asian	--		97.4%	97.6%	99.0%
	Male	96.7%		96.1%	95.9%	95.5%
	Female	96.3%		94.9%	95.2%	95.3%

*White, Black, and Asian are all non-Hispanic

Limitation of Activity

Source NHIS
 Description Limitation of activity
 Item

See below for each question.

Limitations on Activity						
		2000	2006	2010	2011	2012
10-17	Total	8.5%	9.2%	10.1%	10.6%	10.7%
	White*	9.3%	10.0%	10.3%	11.5%	11.6%
	Black	9.3%	10.1%	13.7%	3.0%	10.9%
	Hispanic	6.4%	6.8%	7.9%	8.2%	8.2%
	Asian	ND	2.8%	5.0%	5.0%	7.3%
	FPL Lowest	10.8%	12.9%	14.6%	15.0%	13.3%
	FPL Middle	10.7%	9.4%	11.9%	12.2%	12.7%
	FPL Highest	7.2%	8.0%	8.0%	8.4%	9.1%
	Male	10.9%	12.0%	11.9%	12.9%	13.2%
	Female	6.0%	6.2%	8.3%	8.1%	8.1%
	Full Year Insured	8.4%	9.8%	10.5%	11.0%	11.0%
	Full Year Uninsured	8.0%	6.1%	6.1%	4.2%	7.1%
	Partial Year Insured	11.3%	5.9%	8.5%	10.5%	10.1%
		2000	2006	2010	2011	2012
18-25	Total	4.3%	5.3%	5.0%	5.9%	5.8%
	White	5.0%	6.0%	4.8%	6.8%	5.9%
	Black	3.4%	6.1%	9.0%	5.6%	6.3%
	Hispanic	2.9%	3.5%	2.7%	4.1%	6.0%
	Asian	ND	1.5%	1.5%	3.0%	2.5%
	FPL Lowest	6.2%	9.7%	7.2%	7.0%	6.6%
	FPL Middle	4.9%	4.9%	6.3%	7.1%	8.4%
	FPL Highest	3.4%	3.8%	3.3%	4.7%	4.0%
	Male	4.8%	5.1%	5.4%	6.1%	6.9%
	Female	3.7%	5.6%	4.6%	5.7%	4.8%
	Full Year Insured	4.7%	6.1%	6.0%	6.3%	5.6%
	Full Year Uninsured	3.9%	2.7%	3.2%	5.5%	6.0%
	Partial Year Insured	3.7%	6.9%	3.8%	5.0%	7.4%

*White, Black, and Asian are all non-Hispanic

Limitation of Activity

The recode LA1AR is a summary measure that indicates household members reporting any limitation regarding one or more of the activities discussed during the course of the FHS section of the interview. In other words, respondents who answered “yes” to PLAPLYLM, PSPEDEIS, PLAADL, PLAIADL, PLAWKNOW, PLAWKLIM, PLAWALK, PLAREMEM, or PLIMANY are coded “1” for LA1AR. LA1AR includes three response levels: “1” for limited, “2” for not limited, and “3” for unknown if limited. (For comparability with previous years, level 3 may be collapsed into level 2.) LACHRONR is based on LA1AR but adds the additional criterion of whether at least one of the reported causal conditions is a chronic condition. Users can utilize the information contained in LA1AR to control for “unknown if limited” cases with respect to LACHRONR (that is, when LACHRONR = 0).

Item Details

Is [fill: ALIAS] able to take part AT ALL in the usual kinds of play activities done by most children [fill: ALIAS]’s age?

[fill: Do you/Does/Do any of these family members, * Read names (fill roster of persons less than age 18)] receive Special Educational or Early Intervention Services?

Because of a physical, mental, or emotional problem, [fill1: do you/does anyone in the family] need the help of other persons with PERSONAL CARE NEEDS, such as eating, bathing, dressing, or getting around inside this home?

Because of a physical, mental, or emotional problem, do [fill: you/any of these family members * Read names (fill roster of persons age 18 or older)] need the help of other persons in handling ROUTINE NEEDS, such as everyday household chores doing necessary business, shopping, or getting around for other purposes?

Does a physical, mental, or emotional problem NOW keep [fill: you/any of these family members * Read names(fill roster of persons age 18 or older)] from working at a job or business?

[fill: Are you limited in the kind OR amount of work you/ Is ALIAS limited in the kind OR amount of work he/she/ Are any of these family members, * Read names (fill roster of persons age 18 or older)] limited in the kind OR amount of work they] can do because of a physical, mental or emotional problem?

Because of a health problem, [fill: do you/does anyone in the family] have difficulty walking without using any special equipment?

[fill1: Are you/Is anyone in the family] LIMITED IN ANY WAY because of difficulty remembering or because [fill2: you/they] experience periods of confusion?

[fill: Are you/ Is ALIAS/ Are any family members * Read names (fill roster of applicable persons)] LIMITED IN ANY WAY in any activities because of physical, mental or emotional problems?

Limitation of Activity

Definitions of Indicators

- Full Year Insured: insured for full year prior to NHIS interview
- Full Year Uninsured: uninsured for full year prior to NHIS interview
- Partial Year Uninsured: uninsured for part of year prior to NHIS interview
- General health is excellent, very good, or good NHIS interview
- Usual place When Sick: place one usually goes to when he/she is sick or when parent needs advice about his/her health (no time frame)
- Had Doctor visit, past year (besides hospital, ER, surg.): had a doctor visit in the past 12 months; does not include hospitalization, emergency room visit, home visit, dental visit or telephone call
- Had Well Check- up, past year: had a well-child check up, that is a general check-up, in past 12 months
- Had 1+ ER visit, past year: went to a hospital emergency room one or more times in past 12 months; includes ER visits that resulted in a hospital admission
- Dentist visit, past year: saw a dentist in past 12 months; includes all types of dentists and dental hygienists
- Delay in Care, past year: delayed in getting medical care in past 12 months
- Unmet Need for Dental care past year: needed dental care but didn't get it because could not afford it, in past 12 months
- Unmet Need for Prescriptions past year: needed prescription medicines but didn't get because could not afford it, in past 12 months

Definitions of Poverty Status:

- FPL lowest = £ 99% of the federal poverty level
- FPL middle = 100 – 199% of the federal poverty level
- FPL highest = ³ 200% of the federal poverty level

Source: Public Policy Analysis and Education Center for Middle Childhood, Adolescent and Young Adult Health. National Health Interview Survey, 2006 [private data run]. Available at: <http://www.cdc.gov/nchs/nhis.htm>. Accessed September 2, 2008.

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

	2000	2001	2002
Age			
Ages 10-14	20.20	19.09	19.47
Ages 15-19	66.78	66.63	67.52
Ages 20-24	93.14	94.42	94.77
Gender by Age	2000	2001	2002
Males 10-14	24.20	22.73	22.95
Males 15-19	92.96	93.32	93.65
Males 20-24	137.43	140.15	140.14
Females 10-14	15.99	15.27	15.83
Females 15-19	39.11	38.37	39.89
Females 20-24	46.89	46.55	47.15
Race/Ethnicity by Age	2000	2001	2002
White (non Hispanic) 10-14	19.36	17.99	18.13
White (non Hispanic) 15-19	64.04	63.42	65.45
White (non Hispanic) 20-24	84.13	85.30	86.64
Black (non Hispanic) 10-14	27.48	26.56	28.31
Black (non Hispanic) 15-19	89.91	88.79	83.79
Black (non Hispanic) 20-24	160.50	156.73	151.74
American Indian/Alaskan Native (non Hispanic) 10-14	25.34	33.37	32.54
American Indian/Alaskan Native (non Hispanic) 15-19	109.39	112.70	113.13
American Indian/Alaskan Native (non Hispanic) 20-24	141.88	143.77	150.51
Asian/Pacific Islander (non Hispanic) 10-14	13.86	13.37	13.96
Asian/Pacific Islander (non Hispanic) 15-19	36.45	38.88	37.65
Asian/Pacific Islander (non Hispanic) 20-24	41.56	48.33	44.51
Hispanic 10-14	17.54	16.55	16.58
Hispanic 15-19	61.58	63.00	65.25
Hispanic 20-24	83.30	86.53	87.87

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and

	2003	2004	2005	2006	2007
Age					
Ages 10-14	19.10	18.57	18.00	16.50	16.87
Ages 15-19	66.12	65.91	64.99	64.28	61.83
Ages 20-24	96.00	93.75	97.31	99.88	98.14
Gender by Age	2003	2004	2005	2006	2007
Males 10-14	23.08	21.66	21.45	19.59	19.79
Males 15-19	91.86	90.73	91.43	90.48	86.67
Males 20-24	139.82	137.67	143.45	147.60	144.89
Females 10-14	14.91	15.33	14.39	13.26	13.81
Females 15-19	38.94	39.76	37.17	36.71	35.70
Females 20-24	49.56	47.10	48.11	48.85	48.30
Race/Ethnicity by Age	2003	2004	2005	2006	2007
White (non Hispanic) 10-14	17.64	17.43	16.83	15.04	15.71
White (non Hispanic) 15-19	62.95	63.44	60.40	59.14	58.03
White (non Hispanic) 20-24	88.90	87.20	89.35	93.16	91.06
Black (non Hispanic) 10-14	26.68	26.25	25.87	23.09	24.57
Black (non Hispanic) 15-19	82.32	83.75	86.23	87.09	85.75
Black (non Hispanic) 20-24	152.24	143.26	147.64	146.69	142.20
American Indian/Alaskan Native (non Hispanic) 10-14	31.54	29.53	27.18	22.88	24.79
American Indian/Alaskan Native (non Hispanic) 15-19	118.28	105.50	114.71	118.42	107.16
American Indian/Alaskan Native (non Hispanic) 20-24	153.53	149.28	151.94	157.15	151.29
Asian/Pacific Islander (non Hispanic) 10-14	15.50	12.59	14.50	11.16	12.53
Asian/Pacific Islander (non Hispanic) 15-19	38.30	34.68	34.58	37.86	32.91
Asian/Pacific Islander (non Hispanic) 20-24	47.47	42.90	48.99	50.54	52.93
Hispanic 10-14	17.35	16.33	15.39	16.57	14.89
Hispanic 15-19	67.23	64.24	67.12	65.31	57.90
Hispanic 20-24	85.71	87.31	94.16	95.04	95.31

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and

	2008	2009	2010
Age			
Ages 10-14	15.66	15.07	14.90
Ages 15-19	57.55	51.68	51.20
Ages 20-24	93.72	87.95	90.92
Gender by Age	2008	2009	2010
Males 10-14	18.31	17.44	17.18
Males 15-19	81.08	71.46	71.45
Males 20-24	138.57	128.73	133.48
Females 10-14	12.89	12.59	12.51
Females 15-19	32.81	30.84	29.99
Females 20-24	46.09	45.36	47.56
Race/Ethnicity by Age	2008	2009	2010
White (non Hispanic) 10-14	14.66	13.75	13.81
White (non Hispanic) 15-19	53.72	49.40	47.46
White (non Hispanic) 20-24	87.67	85.06	85.40
Black (non Hispanic) 10-14	22.77	22.20	20.24
Black (non Hispanic) 15-19	82.34	70.45	70.55
Black (non Hispanic) 20-24	138.43	133.13	129.51
American Indian/Alaskan Native (non Hispanic) 10-14	26.34	28.21	27.22
American Indian/Alaskan Native (non Hispanic) 15-19	105.13	105.90	98.90
American Indian/Alaskan Native (non Hispanic) 20-24	153.45	178.83	166.04
Asian/Pacific Islander (non Hispanic) 10-14	11.76	10.13	8.29
Asian/Pacific Islander (non Hispanic) 15-19	27.88	24.64	22.13
Asian/Pacific Islander (non Hispanic) 20-24	44.99	37.81	36.96
Hispanic 10-14	13.54	14.01	11.67
Hispanic 15-19	52.85	46.93	41.55
Hispanic 20-24	86.49	73.57	67.37

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Race/Ethnicity and Gender by Age	2000	2001	2002
White (non Hispanic) Males 10-14	23.30	21.70	21.32
White (non Hispanic) Males 15-19	86.05	86.06	87.62
White (non Hispanic) Males 20-24	122.86	125.46	126.72
White (non Hispanic) Females 10-14	15.20	14.07	14.76
White (non Hispanic) Females 15-19	40.96	39.55	42.01
White (non Hispanic) Females 20-24	44.47	44.20	45.57
Black (non Hispanic) Males 10-14	33.04	32.47	34.44
Black (non Hispanic) Males 15-19	133.98	134.10	124.14
Black (non Hispanic) Males 20-24	249.23	244.94	235.27
Black (non Hispanic) Females 10-14	21.74	20.46	22.01
Black (non Hispanic) Females 15-19	44.89	42.07	42.09
Black (non Hispanic) Females 20-24	76.52	72.19	70.53
American Indian/Alaskan Native (non Hispanic) Males 10-14	26.13	35.35	36.32
American Indian/Alaskan Native (non Hispanic) Males 15-19	153.00	148.07	147.97
American Indian/Alaskan Native (non Hispanic) Males 20-24	198.82	213.76	223.56
American Indian/Alaskan Native (non Hispanic) Females 10-14	24.53	31.33	28.65
American Indian/Alaskan Native (non Hispanic) Females 15-19	64.10	75.82	76.76
American Indian/Alaskan Native (non Hispanic) Females 20-24	83.44	71.82	75.16
Asian/Pacific Islander (non Hispanic) Males 10-14	14.95	14.69	16.17
Asian/Pacific Islander (non Hispanic) Males 15-19	51.03	53.39	51.40
Asian/Pacific Islander (non Hispanic) Males 20-24	59.29	67.24	65.08
Asian/Pacific Islander (non Hispanic) Females 10-14	12.71	11.98	11.64
Asian/Pacific Islander (non Hispanic) Females 15-19	21.28	23.80	23.41
Asian/Pacific Islander (non Hispanic) Females 20-24	23.80	29.63	24.27
Hispanic Males 10-14	21.33	18.48	19.00
Hispanic Males 15-19	90.49	91.80	96.97
Hispanic Males 20-24	123.14	127.44	128.92
Hispanic Females 10-14	13.58	14.52	14.03
Hispanic Females 15-19	28.66	31.11	30.80
Hispanic Females 20-24	34.61	36.07	37.22

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Race/Ethnicity and Gender by Age	2003	2004	2005	2006
White (non Hispanic) Males 10-14	21.24	20.39	20.14	18.03
White (non Hispanic) Males 15-19	84.26	83.41	81.96	79.04
White (non Hispanic) Males 20-24	128.28	126.62	130.05	136.49
White (non Hispanic) Females 10-14	13.83	14.30	13.33	11.88
White (non Hispanic) Females 15-19	40.42	42.35	37.63	38.14
White (non Hispanic) Females 20-24	48.26	46.32	46.80	47.60
Black (non Hispanic) Males 10-14	32.56	29.70	31.63	27.65
Black (non Hispanic) Males 15-19	124.25	124.64	131.33	134.71
Black (non Hispanic) Males 20-24	231.97	216.90	227.84	222.97
Black (non Hispanic) Females 10-14	20.61	22.69	19.92	18.39
Black (non Hispanic) Females 15-19	39.12	41.72	39.92	38.18
Black (non Hispanic) Females 20-24	73.27	69.41	66.24	68.65
American Indian/Alaskan Native (non Hispanic) Males 10-14	42.67	33.11	30.06	23.54
American Indian/Alaskan Native (non Hispanic) Males 15-19	162.22	134.38	145.21	155.89
American Indian/Alaskan Native (non Hispanic) Males 20-24	231.33	210.21	216.89	229.69
American Indian/Alaskan Native (non Hispanic) Females 10-14	20.13	25.86	24.23	22.21
American Indian/Alaskan Native (non Hispanic) Females 15-19	72.63	75.52	83.13	79.83
American Indian/Alaskan Native (non Hispanic) Females 20-24	73.12	86.64	85.05	82.04
Asian/Pacific Islander (non Hispanic) Males 10-14	18.02	14.82	15.59	12.46
Asian/Pacific Islander (non Hispanic) Males 15-19	49.10	46.58	46.89	51.06
Asian/Pacific Islander (non Hispanic) Males 20-24	63.47	58.99	66.11	72.36
Asian/Pacific Islander (non Hispanic) Females 10-14	12.83	10.23	13.36	9.80
Asian/Pacific Islander (non Hispanic) Females 15-19	26.90	22.07	21.51	23.83
Asian/Pacific Islander (non Hispanic) Females 20-24	31.19	26.43	31.32	27.91
Hispanic Males 10-14	20.94	19.79	17.93	19.34
Hispanic Males 15-19	98.48	96.52	98.57	98.05
Hispanic Males 20-24	124.64	130.95	139.57	141.39
Hispanic Females 10-14	13.59	12.71	12.73	13.66
Hispanic Females 15-19	33.53	29.73	33.64	30.48
Hispanic Females 20-24	37.43	33.86	39.51	39.96

Mortality (rate per 100,000)

Source: CDC WONDER

Description: Mortality (rate per 100,000)

Item: Death Certificates

Race/Ethnicity and Gender by Age	2007	2008	2009	2010
White (non Hispanic) Males 10-14	18.27	17.50	15.84	16.03
White (non Hispanic) Males 15-19	77.24	73.37	65.93	63.92
White (non Hispanic) Males 20-24	132.16	128.14	123.71	123.19
White (non Hispanic) Females 10-14	13.01	11.67	11.54	11.48
White (non Hispanic) Females 15-19	37.77	32.99	32.00	30.14
White (non Hispanic) Females 20-24	47.76	45.02	45.22	46.50
Black (non Hispanic) Males 10-14	29.82	26.59	26.07	23.35
Black (non Hispanic) Males 15-19	131.43	124.05	104.95	107.98
Black (non Hispanic) Males 20-24	219.14	209.50	202.88	200.23
Black (non Hispanic) Females 10-14	19.15	18.83	18.20	17.01
Black (non Hispanic) Females 15-19	38.82	39.42	34.85	31.94
Black (non Hispanic) Females 20-24	63.36	65.77	64.80	60.46
American Indian/Alaskan Native (non Hispanic) Males 10-14	32.30	27.94	31.55	35.18
American Indian/Alaskan Native (non Hispanic) Males 15-19	144.37	137.37	143.68	138.59
American Indian/Alaskan Native (non Hispanic) Males 20-24	216.88	233.17	245.63	245.62
American Indian/Alaskan Native (non Hispanic) Females 10-14	17.09 *	24.68	24.78	19.04
American Indian/Alaskan Native (non Hispanic) Females 15-19	69.07	72.25	66.57	57.56
American Indian/Alaskan Native (non Hispanic) Females 20-24	83.24	70.85	110.83	85.17
Asian/Pacific Islander (non Hispanic) Males 10-14	14.20	16.03	12.51	7.62
Asian/Pacific Islander (non Hispanic) Males 15-19	45.05	38.14	32.01	27.94
Asian/Pacific Islander (non Hispanic) Males 20-24	75.84	60.00	49.62	55.06
Asian/Pacific Islander (non Hispanic) Females 10-14	10.82	7.41	7.70	8.96
Asian/Pacific Islander (non Hispanic) Females 15-19	20.00	16.98	16.87	16.01
Asian/Pacific Islander (non Hispanic) Females 20-24	29.09	29.30	25.77	18.50
Hispanic Males 10-14	17.18	14.45	16.04	12.89
Hispanic Males 15-19	86.78	76.68	66.69	61.21
Hispanic Males 20-24	143.00	131.57	108.93	97.86
Hispanic Females 10-14	12.49	12.58	11.89	10.39
Hispanic Females 15-19	27.24	27.60	25.64	20.45
Hispanic Females 20-24	40.07	35.41	32.95	32.62

Leading Causes of Death

Source WISQARS
 Description Leading causes of adolescent and young adult mortality, ranked
 Item N/A

Leading Causes of Death, 2010		
Ages 15-19	Cause	%
	Unintentional Injury	41.7%
	MV Traffic	63.8%
	Poisoning	16.4%
	Drowning	6.6%
	Other	13.2%
	Homicide	16.8%
	Suicide	15.2%
	Malignant Neoplasms	5.5%
	Heart Disease	3.1%
	Congenital Anomalies	1.9%
	Cerebrovascular	0.8%
	Chronic Lower Respiratory Disease	0.6%
	Influenza & Pneumonia	0.4%
	Benign Neoplasms	0.4%
	All others	13.5%
Ages 20-24	Cause	%
	Unintentional Injury	41.8%
	MV Traffic	52.9%
	Poisoning	31.3%
	Drowning	4.5%
	Other	11.3%
	Suicide	15.8%
	Homicide	15.2%
	Malignant Neoplasms	5.4%
	Heart Disease	3.7%
	Congenital Anomalies	1.1%
	Influenza & Pneumonia	70.0%
	HIV	70.0%
	Complicated Pregnancy	60.0%
	Diabetes Mellitus	60.0%
	All Others	14.3%

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

ICD-10 Codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2

	2000 Rate per 100,000	2001 Rate per 100,000	2002 Rate per 100,000
Age			
Ages 10-14	4.45	4.21	4.13
Ages 15-19	25.25	25.11	27.06
Ages 20-24	27.33	27.37	28.18
Gender by Age	2000	2001	2002
Males 10-14	5.30	5.07	4.76
Males 15-19	32.85	33.05	35.05
Males 20-24	40.09	40.90	41.53
Females 10-14	3.55	3.31	3.46
Females 15-19	17.22	16.70	18.61
Females 20-24	14.00	13.22	14.17
Race/Ethnicity by Age	2000	2001	2002
White (non Hispanic) 10-14	4.62	4.20	4.30
White (non Hispanic) 15-19	28.95	27.80	30.59
White (non Hispanic) 20-24	28.64	28.29	29.57
Black (non Hispanic) 10-14	4.52	4.81	4.15
Black (non Hispanic) 15-19	16.72	18.48	17.54
Black (non Hispanic) 20-24	26.75	25.83	24.46
American Indian/Alaskan Native (non Hispanic) 10-14	8.59	10.27	10.28
American Indian/Alaskan Native (non Hispanic) 15-19	46.49	48.30	51.26
American Indian/Alaskan Native (non Hispanic) 20-24	61.76	61.84	58.78
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	10.08	13.20	13.49
Asian/Pacific Islander (non Hispanic) 20-24	11.78	13.61	13.50
Hispanic 10-14	3.89	3.77	3.54
Hispanic 15-19	20.68	21.88	23.55
Hispanic 20-24	25.61	27.20	28.48

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

ICD-10 Codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2

	2003 Rate per 100,000	2004 Rate per 100,000	2005 Rate per 100,000
Age			
Ages 10-14	4.29	4.33	3.65
Ages 15-19	25.19	24.62	22.91
Ages 20-24	26.79	26.86	27.65
Gender by Age	2003	2004	2005
Males 10-14	5.22	4.93	4.23
Males 15-19	32.45	31.56	29.56
Males 20-24	39.15	39.30	41.31
Females 10-14	3.32	3.70	3.05
Females 15-19	17.53	17.31	15.91
Females 20-24	13.68	13.64	13.08
Race/Ethnicity by Age	2003	2004	2005
White (non Hispanic) 10-14	4.36	4.42	3.61
White (non Hispanic) 15-19	27.96	27.88	24.90
White (non Hispanic) 20-24	28.51	28.38	28.55
Black (non Hispanic) 10-14	4.38	4.47	4.11
Black (non Hispanic) 15-19	15.75	15.87	16.80
Black (non Hispanic) 20-24	22.95	21.84	22.72
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	47.93	37.49	37.80
American Indian/Alaskan Native (non Hispanic) 20-24	58.30	56.80	50.19
Asian/Pacific Islander (non Hispanic) 10-14	2.70	2.77	2.40
Asian/Pacific Islander (non Hispanic) 15-19	14.83	11.29	9.87
Asian/Pacific Islander (non Hispanic) 20-24	13.33	13.16	13.29
Hispanic 10-14	4.12	4.02	3.42
Hispanic 15-19	24.14	22.59	23.40
Hispanic 20-24	25.73	27.54	30.95

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

ICD-10 Codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2

	2006 Rate per 100,000	2007 Rate per 100,000	2008 Rate per 100,000
Age			
Ages 10-14	3.40	3.41	2.64
Ages 15-19	22.52	21.37	17.21
Ages 20-24	28.00	26.97	23.40
Gender by Age	2006	2007	2008
Males 10-14	3.79	3.94	3.21
Males 15-19	29.26	27.51	22.31
Males 20-24	41.69	40.38	35.04
Females 10-14	3.00	2.85	2.05
Females 15-19	15.44	14.90	11.84
Females 20-24	13.37	12.67	11.04
Race/Ethnicity by Age	2006	2007	2008
White (non Hispanic) 10-14	3.17	3.45	2.70
White (non Hispanic) 15-19	24.68	24.37	19.40
White (non Hispanic) 20-24	29.08	27.63	24.63
Black (non Hispanic) 10-14	3.66	3.79	2.51
Black (non Hispanic) 15-19	15.19	15.29	12.71
Black (non Hispanic) 20-24	22.61	22.78	19.35
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	48.41	41.05	34.03
American Indian/Alaskan Native (non Hispanic) 20-24	56.16	48.04	46.84
Asian/Pacific Islander (non Hispanic) 10-14	2.45	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	10.77	10.68	8.34
Asian/Pacific Islander (non Hispanic) 20-24	12.89	15.41	9.87
Hispanic 10-14	4.11	3.10	2.71
Hispanic 15-19	22.61	17.62	14.83
Hispanic 20-24	30.92	29.78	24.46

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

ICD-10 Codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2

	2009 Rate per 100,000	2010 Rate per 100,000
Age		
Ages 10-14	2.45	2.39
Ages 15-19	14.99	13.62
Ages 20-24	19.44	19.68
Gender by Age	2009	2010
Males 10-14	2.81	2.66
Males 15-19	18.87	17.77
Males 20-24	28.57	28.49
Females 10-14	2.08	2.12
Females 15-19	10.91	9.24
Females 20-24	9.75	10.51
Race/Ethnicity by Age	2009	2010
White (non Hispanic) 10-14	2.18	2.62
White (non Hispanic) 15-19	16.58	15.89
White (non Hispanic) 20-24	20.10	21.18
Black (non Hispanic) 10-14	3.24	2.45
Black (non Hispanic) 15-19	11.29	10.49
Black (non Hispanic) 20-24	16.31	18.77
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	32.87	31.66
American Indian/Alaskan Native (non Hispanic) 20-24	46.27	44.18
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	5.98	5.33
Asian/Pacific Islander (non Hispanic) 20-24	9.06	7.54
Hispanic 10-14	2.81	1.97
Hispanic 15-19	14.14	10.66
Hispanic 20-24	20.83	18.02

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2000	2001
White (non Hispanic) Males 10-14	5.37	5.07
White (non Hispanic) Males 15-19	36.75	35.76
White (non Hispanic) Males 20-24	41.78	42.17
White (non Hispanic) Females 10-14	3.83	3.27
White (non Hispanic) Females 15-19	20.79	19.40
White (non Hispanic) Females 20-24	15.19	14.08
Black (non Hispanic) Males 10-14	6.13	6.42
Black (non Hispanic) Males 15-19	22.84	26.02
Black (non Hispanic) Males 20-24	40.12	38.92
Black (non Hispanic) Females 10-14	2.87	3.15
Black (non Hispanic) Females 15-19	10.47	10.70
Black (non Hispanic) Females 20-24	14.10	13.30
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	59.05	60.46
American Indian/Alaskan Native (non Hispanic) Males 20-24	81.28	83.42
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	33.44	35.63
American Indian/Alaskan Native (non Hispanic) Females 20-24	41.72	39.66
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	14.25	18.95
Asian/Pacific Islander (non Hispanic) Males 20-24	18.09	19.61
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	5.74	7.21
Asian/Pacific Islander (non Hispanic) Females 20-24	5.46	7.67
Hispanic Males 10-14	4.70	4.17
Hispanic Males 15-19	29.43	30.36
Hispanic Males 20-24	38.08	41.22
Hispanic Females 10-14	3.04	3.34
Hispanic Females 15-19	10.72	12.50
Hispanic Females 20-24	10.36	9.92

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2002	2003
White (non Hispanic) Males 10-14	4.77	5.15
White (non Hispanic) Males 15-19	38.54	35.10
White (non Hispanic) Males 20-24	43.39	40.99
White (non Hispanic) Females 10-14	3.81	3.52
White (non Hispanic) Females 15-19	22.19	20.41
White (non Hispanic) Females 20-24	15.41	15.62
Black (non Hispanic) Males 10-14	5.00	5.18
Black (non Hispanic) Males 15-19	23.54	21.93
Black (non Hispanic) Males 20-24	36.76	35.63
Black (non Hispanic) Females 10-14	3.27	3.55
Black (non Hispanic) Females 15-19	11.33	9.38
Black (non Hispanic) Females 20-24	12.49	10.39
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	61.44	60.40
American Indian/Alaskan Native (non Hispanic) Males 20-24	86.83	85.08
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	40.64	34.97
American Indian/Alaskan Native (non Hispanic) Females 20-24	29.86	30.63
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	19.36	18.19
Asian/Pacific Islander (non Hispanic) Males 20-24	19.57	18.22
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	7.40	11.29
Asian/Pacific Islander (non Hispanic) Females 20-24	7.53	8.36
Hispanic Males 10-14	4.81	5.61
Hispanic Males 15-19	33.88	33.42
Hispanic Males 20-24	41.87	38.57
Hispanic Females 10-14	2.20	2.57
Hispanic Females 15-19	12.33	14.14
Hispanic Females 20-24	11.95	9.81

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2004	2005
White (non Hispanic) Males 10-14	5.04	4.16
White (non Hispanic) Males 15-19	34.42	31.44
White (non Hispanic) Males 20-24	41.61	42.61
White (non Hispanic) Females 10-14	3.76	3.03
White (non Hispanic) Females 15-19	20.97	17.98
White (non Hispanic) Females 20-24	14.66	13.86
Black (non Hispanic) Males 10-14	5.02	5.12
Black (non Hispanic) Males 15-19	21.72	22.61
Black (non Hispanic) Males 20-24	31.54	34.44
Black (non Hispanic) Females 10-14	3.91	3.07
Black (non Hispanic) Females 15-19	9.87	10.82
Black (non Hispanic) Females 20-24	12.10	10.83
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	43.65	44.42
American Indian/Alaskan Native (non Hispanic) Males 20-24	74.08	70.78
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	31.10	30.95
American Indian/Alaskan Native (non Hispanic) Females 20-24	39.04	28.97
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	13.66	13.21
Asian/Pacific Islander (non Hispanic) Males 20-24	16.69	17.57
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	8.78	6.31
Asian/Pacific Islander (non Hispanic) Females 20-24	9.56	8.86
Hispanic Males 10-14	4.75	3.90
Hispanic Males 15-19	33.28	32.00
Hispanic Males 20-24	41.25	46.41
Hispanic Females 10-14	3.24	2.92
Hispanic Females 15-19	11.17	14.26
Hispanic Females 20-24	10.76	12.34

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2006	2007
White (non Hispanic) Males 10-14	3.36	3.85
White (non Hispanic) Males 15-19	30.73	30.33
White (non Hispanic) Males 20-24	42.96	41.27
White (non Hispanic) Females 10-14	2.96	3.02
White (non Hispanic) Females 15-19	18.30	18.08
White (non Hispanic) Females 20-24	14.49	13.27
Black (non Hispanic) Males 10-14	4.39	4.26
Black (non Hispanic) Males 15-19	21.53	21.06
Black (non Hispanic) Males 20-24	33.13	34.54
Black (non Hispanic) Females 10-14	2.90	3.30
Black (non Hispanic) Females 15-19	8.68	9.37
Black (non Hispanic) Females 20-24	11.85	10.74
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	59.63	51.25
American Indian/Alaskan Native (non Hispanic) Males 20-24	78.34	65.24
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	36.85	30.60
American Indian/Alaskan Native (non Hispanic) Females 20-24	33.19	30.19
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	12.93	14.52
Asian/Pacific Islander (non Hispanic) Males 20-24	19.54	21.37
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	8.48	6.59
Asian/Pacific Islander (non Hispanic) Females 20-24	6.00	9.20
Hispanic Males 10-14	4.71	4.04
Hispanic Males 15-19	32.99	25.04
Hispanic Males 20-24	47.36	45.14
Hispanic Females 10-14	3.48	2.12
Hispanic Females 15-19	11.56	9.74
Hispanic Females 20-24	11.37	11.99

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2008	2009
White (non Hispanic) Males 10-14	3.24	2.43
White (non Hispanic) Males 15-19	24.22	20.28
White (non Hispanic) Males 20-24	36.45	29.41
White (non Hispanic) Females 10-14	2.12	1.90
White (non Hispanic) Females 15-19	14.30	12.67
White (non Hispanic) Females 20-24	12.18	10.31
Black (non Hispanic) Males 10-14	3.02	4.03
Black (non Hispanic) Males 15-19	17.70	14.42
Black (non Hispanic) Males 20-24	28.56	23.65
Black (non Hispanic) Females 10-14	1.99	2.42
Black (non Hispanic) Females 15-19	7.56	8.07
Black (non Hispanic) Females 20-24	9.93	8.80
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	39.74	36.07
American Indian/Alaskan Native (non Hispanic) Males 20-24	71.00	62.38
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	28.20	29.61
American Indian/Alaskan Native (non Hispanic) Females 20-24	21.80	29.59
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	12.36	7.70
Asian/Pacific Islander (non Hispanic) Males 20-24	14.12	11.71
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	5.43	6.34
Hispanic Males 10-14	3.23	3.17
Hispanic Males 15-19	21.15	19.69
Hispanic Males 20-24	38.44	31.88
Hispanic Females 10-14	2.16	2.42
Hispanic Females 15-19	8.13	8.17
Hispanic Females 20-24	8.62	8.26

Motor vehicle mortality (rate per 100,000)

Source: WISQARS

Description: Motor vehicle mortality (rate per 100,000)

Item: From ICD-10, codes V01-V99

<http://apps.who.int/classifications/icd10/browse/2010/en#/V01-V99>

Data are based on death certificates for U.S. residents. Each death certificate identifies a single underlying cause of death and demographic data.

Race/Ethnicity and Gender by Age	2010
White (non Hispanic) Males 10-14	2.88
White (non Hispanic) Males 15-19	20.26
White (non Hispanic) Males 20-24	30.49
White (non Hispanic) Females 10-14	2.34
White (non Hispanic) Females 15-19	11.29
White (non Hispanic) Females 20-24	11.60
Black (non Hispanic) Males 10-14	2.81
Black (non Hispanic) Males 15-19	15.17
Black (non Hispanic) Males 20-24	26.83
Black (non Hispanic) Females 10-14	2.07
Black (non Hispanic) Females 15-19	5.66
Black (non Hispanic) Females 20-24	10.90
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	41.66
American Indian/Alaskan Native (non Hispanic) Males 20-24	64.54
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	21.25
American Indian/Alaskan Native (non Hispanic) Females 20-24	23.49
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	6.63
Asian/Pacific Islander (non Hispanic) Males 20-24	12.20
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	3.96
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable
Hispanic Males 10-14	2.16
Hispanic Males 15-19	14.11
Hispanic Males 20-24	26.65
Hispanic Females 10-14	1.76
Hispanic Females 15-19	6.95
Hispanic Females 20-24	8.42

Drivers involved in fatal crashes with BAC ≥.08

Source NHTSA Traffic Safety Facts 2011
Description Drivers involved in fatal crashes with BAC ≥.08
Item NHTSA Records

% Of Fatal Crashes with Driver BAC ≥.08 by age												
	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
16-20 years	18%	18%	19%	18%	17%	19%	18%	17%	19%	18%	20%	18%
21-24 years	33%	33%	32%	33%	33%	33%	34%	34%	34%	34%	32%	32%

Drove under the influence of alcohol (past year)

Source National Survey of Drug Use and Health

Description Drove under the influence of alcohol (past year)

Item During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

<http://oas.samhsa.gov/nsduh/2k10MRB/2k10Q.pdf>

Drove under influence of alcohol (only) in the past 12 months (ANSWERED YES)					
		2002	2006	2011	2012
12-17	Total	10.6%	8.5%	6.3%	6.3%
	White NH	12.4%	10.1%	7.3%	7.1%
	Black NH	5.4%	2.8%	1.4%	3.3%
	Native American/Alaska Native NH	Unreliable	Unreliable	Unreliable	Unreliable
	Native Hawaiian/Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	Unreliable	1.7%	Unreliable	Unreliable
	Hispanic	7.0%	7.0%	6.5%	5.1%
	Female Total	10.7%	8.9%	5.7%	6.1%
	White NH	12.8%	10.6%	6.6%	7.5%
	Black NH	3.6%	1.8%	1.4%	2.2%
	Native American/Alaska Native NH	Unreliable	Unreliable	Unreliable	Unreliable
	Native Hawaiian/Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	Unreliable	Unreliable	Unreliable	Unreliable
	Hispanic	6.0%	8.4%	5.6%	4.6%
	Male Total	10.5%	8.1%	6.9%	6.5%
	White NH	12.1%	9.6%	7.9%	6.6%
	Black NH	7.2%	4.0%	1.4%	4.4%
	Native American/Alaska Native NH	Unreliable	Unreliable	Unreliable	Unreliable
	Native Hawaiian/Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	Unreliable	Unreliable	Unreliable	Unreliable
	Hispanic	8.0%	5.6%	7.4%	5.7%

Drove under the influence of alcohol (past year)

Source National Survey of Drug Use and Health
 Description Drove under the influence of alcohol (past year)
 Item During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?
<http://oas.samhsa.gov/nsduh/2k10MRB/2k10Q.pdf>

Drove under influence of alcohol (only) in the past 12 months (ANSWERED YES)				
		2002	2006	2011
18-25	Total	33.2%	30.1%	23.0%
	White NH	37.0%	33.8%	25.5%
	Black NH	22.5%	18.8%	15.7%
	Native American/Alaska Native NH	41.5%	32.0%	28.7%
	Native Hawaiian/ Other Pacific Islander NH	31.6%	Unreliable	Unreliable
	Asian NH	29.9%	25.8%	18.4%
	Hispanic	25.8%	23.7%	21.0%
	Female Total	28.1%	26.8%	20.5%
	White NH	31.2%	30.7%	22.2%
	Black NH	16.0%	15.2%	15.3%
	Native American/Alaska Native NH	Unreliable	38.9%	28.3%
	Native Hawaiian/ Other Pacific Islander NH	22.4%	Unreliable	Unreliable
	Asian NH	25.4%	21.8%	19.8%
	Hispanic	23.5%	19.5%	19.0%
	Male Total	38.0%	33.3%	25.4%
	White NH	42.5%	36.8%	28.8%
	Black NH	29.8%	22.7%	16.1%
	Native American/Alaska Native NH	Unreliable	27.2%	29.3%
	Native Hawaiian/ Other Pacific Islander NH	38.2%	Unreliable	Unreliable
	Asian NH	34.4%	30.0%	17.2%
	Hispanic	27.3%	26.9%	22.7%

ience of

2012
22.5%
25.0%
15.9%
24.6%
Unreliable
16.4%
21.3%
20.0%
22.4%
14.3%
Unreliable
Unreliable
15.9%
18.0%
24.9%
27.5%
17.6%
Unreliable
Unreliable
16.8%
24.2%

Rode with drinking driver (past month)

Source	Youth Behavioral Risk Surveillance Survey
Description	Rode with drinking driver (past month)
Item	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking

Rode With A Driver Who Had Been Drinking Alcohol One Or More Times (in a car or other vehicle during the 30 days before the survey)							
		2001	2003	2005	2007	2009	2011
Grades 9-12	Total	30.71	30.21	28.47	29.15	28.27	24.1
	White NH	30.29					22.1
	Black NH	27.6					22.82
	Hispanic	38.32					30.72
	Asian-NH	21.54					17.5
	AI/AN	42.41					32.56
	Female Total	29.64					24.86
	White NH	29.38					23.82
	Black NH	24.17					23.16
	Hispanic	39.29					30.69
	Asian-NH	20.53					12.18
	AI/AN	36.31					27.29
	Male Total	31.79					23.34
	White NH	31.17					20.49
	Black NH	31.19					22.46
	Hispanic	37.11					30.69
	Asian-NH	22.7					22.03
	AI/AN	47.81					37.42

Two Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H10&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=True&C1=2001&C2=2011&QP=G&DP=2&VA=CI&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

All Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H10&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=No&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

Sometimes, Most Of The Time, Or Always Wore A Seat Belt

Source YRBS

Description Sometimes, Most Of The Time, Or Always Wore A Seat Belt

Item How often do you wear a seat belt when riding in a car driven by someone else?

		Seatbelt Use					
Grades 9-12		2001	2003	2005	2007	2009	2011
	Total	85.9%	81.8%	89.8%	88.86%	90.3%	92.3%
	AI/AN	72.4%	71.6%	85.0%	88.67%	86.4%	82.1%
	Asian	87.2%	85.2%	93.9%	87.9%	93.0%	95.1%
	Black	83.9%	79.4%	86.6%	87.6%	88.4%	89.7%
	Hispanic or Latino	85.6%	79.8%	89.4%	87.1%	91.2%	90.7%
	NHOPI	76.5%	N/A	N/A	81.3%	90.7%	89.5%
	White	86.4%	83.1%	90.6%	89.9%	90.5%	93.7%
	Female	89.8%	85.4%	92.2%	91.5%	92.3%	93.7%
	AI/AN	74.9%	N/A	N/A	93.8%	N/A	86.5%
	Asian	88.9%	88.7%	93.3%	88.2%	93.5%	96.9%
	Black	87.8%	84.4%	90.6%	90.0%	91.7%	92.0%
	Hispanic or Latino	88.7%	84.2%	91.3%	88.6%	92.2%	91.6%
	NHOPI	N/A%	N/A	N/A	N/A	N/A	N/A
	White	90.3%	85.9%	92.8%	92.7%	92.4%	94.9%
	Male	81.9%	78.5%	87.5%	86.4%	88.5%	91.1%
	AI/AN	70.1%	N/A	N/A	84.4%	N/A	78.0%
	Asian	85.9%	82.7%	94.3%	87.7%	92.6%	93.7%
	Black	79.7%	74.4%	82.3%	85.3%	85.2%	87.4%
	Hispanic or Latino	82.4%	75.8%	87.6%	85.7%	90.2%	89.9%
	NHOPI	N/A	N/A	N/A	N/A	N/A	N/A
	White	82.3%	80.6%	88.5%	87.0%	88.8%	92.7%

2001-2011 <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H9&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=L&DP=2&VA=No&CS=N&SYID=2001&EYID=2011&SC=DEFAULT&SO=ASC>

Sometimes, Most Of The Time, Or Always Wore A Seat Belt

Source Behavioral Risk Factor Surveillance System
Description Sometimes, Most Of The Time, Or Always Wore A Seat Belt
Item How often do you use seat belts when you drive or ride in a car?

Sometime, Nearly Always, or Always Wore Seatbelts, Young Adults 18-24			
	2006	2008	2010
Total	94.3%	95.5%	95.5%
Males	92.0%	ND	94.1%
Females	96.8%	ND	97.3%
White NH	94.5%	ND	95.4%
Black NH	91.3%	ND	96%
Hispanic	94.9%	ND	95.9%

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Sequalae of assault

ICD-10 U01-U02

Taken from death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/Y87.1>

	2000	2001	2002	2003
Age				
Ages 10-14	1.13	0.90	1.01	0.95
Ages 15-19	9.40	9.30	9.22	9.39
Ages 20-24	15.83	17.07	16.35	16.45
Gender by Age	2000	2001	2002	2003
Males 10-14	1.43	1.10	1.20	1.34
Males 15-19	15.44	15.53	15.21	15.80
Males 20-24	26.52	28.58	27.54	27.49
Females 10-14	0.81	0.70	0.80	0.55
Females 15-19	3.01	2.70	2.88	2.61
Females 20-24	4.67	5.03	4.61	4.74
Race/Ethnicity by Age	2000	2001	2002	2003
White (non Hispanic) 10-14	0.70	0.62	0.58	0.49
White (non Hispanic) 15-19	2.71	2.93	2.80	2.53
White (non Hispanic) 20-24	4.42	5.51	4.70	4.49
Black (non Hispanic) 10-14	2.58	1.95	2.60	2.75
Black (non Hispanic) 15-19	34.05	33.66	31.88	34.23
Black (non Hispanic) 20-24	66.37	64.96	65.64	64.51
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	10.94	10.29	12.37	13.19
American Indian/Alaskan Native (non Hispanic) 20-24	12.80	15.33	18.75	21.38
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	4.22	4.12	5.28	4.44
Asian/Pacific Islander (non Hispanic) 20-24	5.24	7.07	6.43	7.17
Hispanic 10-14	1.64	1.07	1.02	1.01
Hispanic 15-19	15.01	13.75	14.76	14.51
Hispanic 20-24	19.06	22.23	20.19	21.75

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Sequalae of assault

ICD-10 U01-U02

Taken from death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/Y87.1>

	2004	2005	2006	2007
Age				
Ages 10-14	0.97	1.05	1.17	1.03
Ages 15-19	9.29	9.82	10.72	10.31
Ages 20-24	14.97	16.03	16.13	15.74
Gender by Age	2004	2005	2006	2007
Males 10-14	1.26	1.27	1.59	1.36
Males 15-19	15.29	16.75	18.17	17.48
Males 20-24	25.35	27.03	27.33	26.56
Females 10-14	0.67	0.82	0.73	0.70
Females 15-19	2.96	2.54	2.89	2.78
Females 20-24	3.94	4.29	4.16	4.20
Race/Ethnicity by Age	2004	2005	2006	2007
White (non Hispanic) 10-14	0.55	0.49	0.57	0.40
White (non Hispanic) 15-19	2.59	2.53	2.55	2.61
White (non Hispanic) 20-24	4.43	4.28	4.29	4.52
Black (non Hispanic) 10-14	2.58	3.06	3.01	3.21
Black (non Hispanic) 15-19	32.76	34.58	38.79	38.47
Black (non Hispanic) 20-24	58.13	63.36	64.71	61.02
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	11.33	11.30	11.24	Unreliable
American Indian/Alaskan Native (non Hispanic) 20-24	16.43	22.10	19.93	14.37
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	4.15	4.76	6.88	3.19
Asian/Pacific Islander (non Hispanic) 20-24	4.52	9.23	6.60	5.35
Hispanic 10-14	1.06	1.11	1.67	1.34
Hispanic 15-19	14.76	15.72	15.84	13.99
Hispanic 20-24	19.74	20.45	20.50	20.89

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Sequalae of assault

ICD-10 U01-U02

Taken from death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/Y87.1>

	2008	2009	2010
Age			
Ages 10-14	1.03	0.93	0.73
Ages 15-19	9.72	8.84	8.31
Ages 20-24	15.03	13.54	13.18
Gender by Age	2008	2009	2010
Males 10-14	1.30	1.31	0.98
Males 15-19	16.37	14.79	13.99
Males 20-24	25.38	22.83	22.57
Females 10-14	0.76	0.52	0.46
Females 15-19	2.73	2.57	2.34
Females 20-24	4.04	3.67	3.41
Race/Ethnicity by Age	2008	2009	2010
White (non Hispanic) 10-14	0.53	0.57	0.37
White (non Hispanic) 15-19	2.47	2.17	1.81
White (non Hispanic) 20-24	4.49	3.59	4.09
Black (non Hispanic) 10-14	3.07	2.21	2.03
Black (non Hispanic) 15-19	35.71	31.38	30.96
Black (non Hispanic) 20-24	57.33	52.72	53.31
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	8.72	11.55	Unreliable
American Indian/Alaskan Native (non Hispanic) 20-24	16.95	19.39	21.36
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	2.85	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 20-24	5.31	5.44	3.16
Hispanic 10-14	0.98	1.08	0.75
Hispanic 15-19	13.09	12.70	10.26
Hispanic 20-24	19.46	16.89	12.89

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Race/Ethnicity and Gender by Age	2000	2001	2002	2003
White (non Hispanic) Males 10-14	0.80	0.63	0.59	0.67
White (non Hispanic) Males 15-19	3.47	3.93	3.92	3.60
White (non Hispanic) Males 20-24	5.98	7.51	6.62	6.49
White (non Hispanic) Females 10-14	0.59	0.61	0.58	Unreliable
White (non Hispanic) Females 15-19	1.91	1.88	1.62	1.40
White (non Hispanic) Females 20-24	2.83	3.46	2.73	2.42
Black (non Hispanic) Males 10-14	3.34	2.82	3.53	3.79
Black (non Hispanic) Males 15-19	59.00	59.86	54.81	60.65
Black (non Hispanic) Males 20-24	122.05	120.42	119.61	115.54
Black (non Hispanic) Females 10-14	1.79	Unreliable	1.64	1.68
Black (non Hispanic) Females 15-19	8.57	6.64	8.18	7.00
Black (non Hispanic) Females 20-24	13.66	11.82	13.17	13.97
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	17.89	Unreliable	19.04	18.98
American Indian/Alaskan Native (non Hispanic) Males 20-24	24.17	21.90	27.94	31.55
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	7.59	6.93	8.76	6.59
Asian/Pacific Islander (non Hispanic) Males 20-24	8.07	11.21	10.42	12.81
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable	Unreliable
Hispanic Males 10-14	2.29	1.51	1.22	1.55
Hispanic Males 15-19	25.70	23.82	25.53	25.11
Hispanic Males 20-24	30.93	35.94	32.93	34.52
Hispanic Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Hispanic Females 15-19	2.83	2.59	3.07	3.07
Hispanic Females 20-24	4.56	5.31	4.46	5.92

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Race/Ethnicity and Gender by Age	2004	2005	2006	2007
White (non Hispanic) Males 10-14	0.68	0.43	0.65	0.35
White (non Hispanic) Males 15-19	3.30	3.52	3.38	3.41
White (non Hispanic) Males 20-24	6.06	5.98	6.07	6.35
White (non Hispanic) Females 10-14	0.41	0.55	0.48	0.44
White (non Hispanic) Females 15-19	1.84	1.49	1.68	1.77
White (non Hispanic) Females 20-24	2.74	2.50	2.41	2.58
Black (non Hispanic) Males 10-14	3.50	4.11	4.27	4.57
Black (non Hispanic) Males 15-19	56.92	62.04	68.81	69.08
Black (non Hispanic) Males 20-24	105.88	114.05	116.43	109.31
Black (non Hispanic) Females 10-14	1.63	1.97	1.70	1.81
Black (non Hispanic) Females 15-19	7.93	6.38	7.94	7.03
Black (non Hispanic) Females 20-24	10.23	11.90	11.79	11.53
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	17.12	Unreliable	19.59	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 20-24	27.78	38.11	35.61	22.92
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	6.94	7.92	11.85	5.12
Asian/Pacific Islander (non Hispanic) Males 20-24	7.95	13.98	11.36	8.63
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable	4.33	Unreliable	Unreliable
Hispanic Males 10-14	1.45	1.57	2.48	1.92
Hispanic Males 15-19	25.84	27.80	27.95	24.57
Hispanic Males 20-24	32.81	33.90	33.76	35.19
Hispanic Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Hispanic Females 15-19	2.92	2.86	2.96	2.75
Hispanic Females 20-24	3.72	4.25	4.72	4.33

Homicide deaths (rate per 100,000)

Source: CDC WISQARS

Description: Homicide deaths (rate per 100,000)

Item: Injuries inflicted by another person with intent to injure or kill, by any means

Race/Ethnicity and Gender by Age	2008	2009	2010
White (non Hispanic) Males 10-14	0.61	0.66	0.46
White (non Hispanic) Males 15-19	3.59	2.86	2.36
White (non Hispanic) Males 20-24	6.63	5.10	5.83
White (non Hispanic) Females 10-14	0.45	0.47	Unreliable
White (non Hispanic) Females 15-19	1.28	1.43	1.23
White (non Hispanic) Females 20-24	2.24	2.00	2.3
Black (non Hispanic) Males 10-14	4.05	3.45	2.87
Black (non Hispanic) Males 15-19	62.72	55.30	54.02
Black (non Hispanic) Males 20-24	101.46	94.11	98.95
Black (non Hispanic) Females 10-14	2.06	Unreliable	Unreliable
Black (non Hispanic) Females 15-19	7.92	6.77	7.16
Black (non Hispanic) Females 20-24	12.21	10.31	8.75
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 20-24	27.17	31.19	37.57
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	5.11	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 20-24	8.51	7.94	4.98
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable
Hispanic Males 10-14	1.27	1.73	1.08
Hispanic Males 15-19	22.26	21.90	17.9
Hispanic Males 20-24	33.20	28.40	21.46
Hispanic Females 10-14	Unreliable	Unreliable	Unreliable
Hispanic Females 15-19	3.37	2.83	2.06
Hispanic Females 20-24	3.90	3.80	3.12

Simple Assault (rate per 1,000)

Source National Crime Victimization Survey

Description Simple Assault (rate per 1,000)

Item Simple Assault An attack or attempted attack without a weapon that results in either no injury, minor injury (e.g., bruises, black eyes, cuts, scratches, or swelling) or an undetermined injury requiring less than 2 days of

For Questions See Survey <http://www.bjs.gov/content/pub/pdf/ncvs109.pdf>

		Simple Assault												
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
15-17	Total	53.3	49.2	44.6	51.2	34.9	46.4	42.7	35.5	35.7	25.5	14.7	25	28
	White NH	60.7	56.1	50.4	62	42.1	55.2	47.6	37.6	46.9	29.8	12.3	29	28.6
	Black NH	40.8	29.5	42.3	51.1	29.6	13.3	33.6	26.6	28.1	33.8	11.1	11.2	29.8
	Other NH	42.4*	52.7*	11.8*	9.7*	19.8*	18.9*	45.8*	8.5*	13*	--	10.7*	15.8*	6.6*
	Multirace NH	--	--	--	31*	17*	425*	79.3*	121.1*	60.3*	--	19.5*	11.6*	--
	Hispanic	36.2	37.1	31.2	23.6	19.1	17.6	25.7	34.9	9.8	14	24.3	27.6	33.3
	Male	53.1	47.6	37.3	57.5	45.9	48.3	36.1	44.2	49	29.9	19.6	31.6	23.1
	Female	53.6	50.9	52.2	44.5	23	44.5	49.5	26.4	22	20.8	9.5	17.9	33.1
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
18-20	Total	44.9	31.1	46.2	47.1	34.5	36	35.1	40.6	18.6	18.7	20	49.1	26.4
	White NH	57.2	38.3	54.6	53.5	33.5	35.7	39.6	46.9	22.1	16.7	18.4	41	38.6
	Black NH	31.3	27.8	42.8	41.7*	47.2	34.6	35.3	35.5	12.1*	12.5*	31.1	105.7*	4.9*
	Other NH	--	10*	42.8*	40*	102.4*	97.6*	9.5*	--	--	19.7*	10.9*	12.1*	19.1*
	Multirace NH	--	--	--	61.1*	26.7*	--	--	91.8*	112.1*	17.5*	48.6*	29.5*	18.7*
	Hispanic	20.6	13.2*	20.6	31.6	11.9*	25.1	30.8	32.6	10.4*	29	17.3	45.7*	15.1
	Male	52.4	30.7	47.2	46.9	36.5	46.7	30.4	49.3	19	18.7	18	51.5	28.3
	Female	37.2	31.6	45.2	47.2	32.4	25	40	31.8	18.3	18.8	22	46.7	24.4

-- Rounds to less than .05 victimizations per 1,000.

* Interpret data with caution, based on 10 or fewer sample cases or the coefficient of variation is greater than 50%.

Due to methodological changes in the 2006 NCVS, use caution when comparing 2006 criminal victimization estimates to other years. See Criminal Victimization, 2006 Technical Notes (BJS Web, NCJ 219413, December 2007), Criminal Victimization, 2007 (BJS Web, NCJ 224390, December 2008) for more information.

See technical notes. <http://www.bjs.gov/content/pub/pdf/cv06tn.pdf>

Aggravated Assault (rate per 1,000)

Source National Crime Victimization Survey

Description Aggravated Assault

Items Aggravated Assault:An attack or attempted attack with a weapon, regardless of whether the victim is injured, or an attack without a weapon when serious injury results.

For Questions See Survey <http://www.bjs.gov/content/pub/pdf/ncvs109.pdf>

		Aggravated Assault													
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
15-17	Total	9.7	11.9	12	17	11.4	8.6	9.7	16.6	5.3	6.1	6.5	4.1	3.5	
	White NH	11.6	10.4	7	18.4	15.9	5.4*	6.1	10.7	4.2*	6*	4*	3.4*	2.1*	
	Black NH	7.6*	13.5*	9*	12.3*	10.9*	13.5*	11.5*	63.3*	3*	15.7*	7.7*	11.2*	2.4*	
	Other NH	4.9*	--	--	--	--	--	33*	--	--	--	59.9*	--	13.2*	
	Multirace NH	--	--	--	20.4*	--	37.3*	32*	--	--	19.6*	--	--	--	
	Hispanic	4.8*	21.4*	39.6*	19.6*	--	15.3*	11.6*	4.5*	12*	--	2.3*	2.6*	5.6*	
	Male	14.3	15.2	18.5	16.4	18.4	9.4	9.8	9.4	7.9	7.6*	5*	3.9*	5.3*	
	Female	5*	8.5	5.2*	17.6	3.9*	7.8	9.5	24.2*	2.6*	4.7*	8.1*	4.4*	1.6*	
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
18-20	Total	18.1	15.8	15	16.9	15.4	11.9	21.1	8.6	8.3	10	9.5	10.1	9.8	
	White NH	20.3	17.2	12.7	16.8	14.8	11.5	16.7	7.7*	8.9	5.5*	5.7	9.6*	6.2	
	Black NH	22.7*	20.8*	23.1	26.3*	19.8*	21.8*	58.9*	8.6*	13.3*	36.4*	8.6*	20.6*	17.4*	
	Other NH	--	--	--	29.8*	55.2*	--	4.7*	--	8.7*	--	29.3*	5*	3.8*	
	Multirace NH	--	--	--	34*	23*	--	--	14.8*	33.9*	17.5*	--	13.6*	37.6*	
	Hispanic	10*	10.7*	20.9	7.2*	3.5*	9.6*	16.1*	13.5*	--	6.4*	16.5*	5.5*	11.2*	
	Male	28.8	20.2	18.7	15.7	16.1	18	32.3	13.7	7.2*	14.7	8.6	11.7	12.2	
	Female	7.2	11.3	11.2	18	14.6	5.6*	9.5	3.5*	9.4	5.2*	10.4*	8.4*	7.2	

-- Rounds to less than .05 victimizations per 1,000.

* Interpret data with caution, based on 10 or fewer sample cases or the coefficient of variation is greater than 50%. Due to methodological changes in the 2006 NCVS, use caution when comparing 2006 criminal victimization estimates to other years. See Criminal Victimization, 2006 Technical Notes (BJS Web, NCJ 219413, December 2007), Criminal Victimization, 2007 (BJS Web, NCJ 224390, December 2008) for more information. See technical notes. <http://www.bjs.gov/content/pub/pdf/cv06tn.pdf>

Physical fighting (past year)

Source YRBSS
 Description Physical fighting (past year)
 Item During the past 12 months, how many times were you in a physical fight?

In a Physical Fight One or More Times during the 12 months before the survey								
		2001	2003	2005	2007	2009	2011	
Grades 9-12	Total	33.22	33.03	35.87	35.51	31.48	32.83	
	White NH	32.17					29.37	
	Black NH	36.51					39.05	
	Hispanic	35.76					36.83	
	Asian-NH	22.34					18.37	
	AI/AN	49.2					42.35	
	Female Total	23.87						24.41
	White NH	21.72						20.39
	Black NH	29.61						32.29
	Hispanic	29.34						28.71
	Asian-NH	16.92						10.27
	AI/AN	34.3						38.02
Male Total	43.08						40.67	
White NH	43.13						37.69	
Black NH	43.92						45.75	
Hispanic	42.43						44.43	
Asian-NH	28.25						25.33	
AI/AN	63.95						46.53	

All Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H17&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=CI&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

Weapon carrying (past month)

Source YRBS
 Description Weapon carrying (past month)
 Item During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

Carried a Weapon on At Least One Day							
(for example a gun, knife, or club during the 30 days before the survey)							
		2001	2003	2005	2007	2009	2011
Grades 9-12	Total	17.37	17.13	18.5	18.02	17.49	16.64
	White NH	17.88					17.04
	Black NH	15.19					14.23
	Hispanic	16.49					16.22
	Asian-NH	10.55					9.08
	AI/AN	31.2					27.57
	Female Total	6.15					6.84
	White NH	5.13					6.23
	Black NH	8.58					7.48
	Hispanic	7.41					7.52
	Asian-NH	5.55					2.86
	AI/AN	8.21					13.02
	Male Total	29.27					25.94
	White NH	31.28					27.22
	Black NH	22.4					21.01
	Hispanic	25.95					24.45
	Asian-NH	15.8					14.47
	AI/AN	53.61					42.06

All Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H12&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=CI&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

	2000	2001	2002	2003
Age				
Ages 10-14	1.45	1.30	1.23	1.15
Ages 15-19	7.98	7.92	7.38	7.25
Ages 20-24	12.46	11.94	12.31	12.01
Gender by Age	2000	2001	2002	2003
Males 10-14	2.25	1.93	1.80	1.72
Males 15-19	12.95	12.86	12.14	11.60
Males 20-24	21.31	20.40	20.71	20.17
Females 10-14	0.61	0.64	0.62	0.54
Females 15-19	2.73	2.69	2.34	2.65
Females 20-24	3.21	3.07	3.50	3.37
Race/Ethnicity by Age	2000	2001	2002	2003
White (non Hispanic) 10-14	1.67	1.35	1.34	1.12
White (non Hispanic) 15-19	9.04	9.34	8.60	8.32
White (non Hispanic) 20-24	14.34	13.93	14.51	13.59
Black (non Hispanic) 10-14	1.22	1.16	1.02	1.24
Black (non Hispanic) 15-19	5.72	4.47	4.02	3.87
Black (non Hispanic) 20-24	11.36	10.46	9.39	10.81
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	19.14	20.57	18.12	20.67
American Indian/Alaskan Native (non Hispanic) 20-24	22.81	16.91	27.37	24.78
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	5.74	5.07	4.11	4.44
Asian/Pacific Islander (non Hispanic) 20-24	6.33	7.82	6.64	7.78
Hispanic 10-14	0.85	1.10	0.99	1.17
Hispanic 15-19	5.61	5.23	5.66	5.91
Hispanic 20-24	7.89	7.01	7.60	7.98

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

	2004	2005	2006	2007
Age				
Ages 10-14	1.33	1.29	1.04	0.88
Ages 15-19	8.16	7.65	7.28	6.89
Ages 20-24	12.44	12.32	12.43	12.63
Gender by Age	2004	2005	2006	2007
Males 10-14	1.70	1.88	1.42	1.22
Males 15-19	12.57	12.05	11.51	11.08
Males 20-24	20.78	20.15	20.71	20.80
Females 10-14	0.95	0.67	0.65	0.52
Females 15-19	3.51	3.01	2.82	2.48
Females 20-24	3.57	3.96	3.58	3.92
Race/Ethnicity by Age	2004	2005	2006	2007
White (non Hispanic) 10-14	1.39	1.34	1.14	0.87
White (non Hispanic) 15-19	9.21	8.77	8.29	7.79
White (non Hispanic) 20-24	14.10	14.00	14.08	14.51
Black (non Hispanic) 10-14	1.42	1.21	1.08	1.24
Black (non Hispanic) 15-19	4.77	4.48	4.31	4.12
Black (non Hispanic) 20-24	10.02	9.39	8.69	8.41
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	29.21	24.77	25.07	20.74
American Indian/Alaskan Native (non Hispanic) 20-24	23.94	29.47	30.80	30.53
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	5.65	4.20	6.11	5.28
Asian/Pacific Islander (non Hispanic) 20-24	6.63	7.00	10.25	12.26
Hispanic 10-14	1.03	1.01	0.61	Unreliable
Hispanic 15-19	6.42	6.07	5.47	5.74
Hispanic 20-24	9.48	9.19	9.19	8.46

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

	2008	2009	2010
Age			
Ages 10-14	1.07	1.30	1.29
Ages 15-19	7.44	7.71	7.52
Ages 20-24	12.76	12.49	13.60
Gender by Age	2008	2009	2010
Males 10-14	1.45	1.67	1.70
Males 15-19	11.63	11.94	11.70
Males 20-24	20.94	20.37	22.19
Females 10-14	0.67	0.90	0.86
Females 15-19	3.04	3.25	3.13
Females 20-24	4.08	4.12	4.65
Race/Ethnicity by Age	2008	2009	2010
White (non Hispanic) 10-14	1.22	1.32	1.37
White (non Hispanic) 15-19	8.42	8.91	8.98
White (non Hispanic) 20-24	14.62	14.31	16.15
Black (non Hispanic) 10-14	0.91	1.49	1.37
Black (non Hispanic) 15-19	5.55	4.45	4.15
Black (non Hispanic) 20-24	10.08	8.78	9.81
American Indian/Alaskan Native (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) 15-19	27.92	26.65	28.63
American Indian/Alaskan Native (non Hispanic) 20-24	28.55	37.01	40.78
Asian/Pacific Islander (non Hispanic) 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) 15-19	4.39	5.77	4.41
Asian/Pacific Islander (non Hispanic) 20-24	8.91	9.06	9.24
Hispanic 10-14	0.53	1.16	0.93
Hispanic 15-19	5.27	6.00	5.58
Hispanic 20-24	8.41	8.78	8.63

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

Race/Ethnicity and Gender by Age	2000	2001	2002	2003
White (non Hispanic) Males 10-14	2.59	2.05	2.03	1.74
White (non Hispanic) Males 15-19	14.83	15.40	14.21	13.34
White (non Hispanic) Males 20-24	24.77	24.04	24.69	23.26
White (non Hispanic) Females 10-14	0.70	0.61	0.61	0.46
White (non Hispanic) Females 15-19	2.96	2.95	2.68	3.02
White (non Hispanic) Females 20-24	3.65	3.58	4.09	3.61
Black (non Hispanic) Males 10-14	2.10	1.74	1.65	1.92
Black (non Hispanic) Males 15-19	9.86	7.56	6.94	6.73
Black (non Hispanic) Males 20-24	20.10	20.04	16.58	18.53
Black (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Black (non Hispanic) Females 15-19	1.50	Unreliable	Unreliable	Unreliable
Black (non Hispanic) Females 20-24	3.08	Unreliable	2.40	3.17
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	29.53	30.67	28.56	31.06
American Indian/Alaskan Native (non Hispanic) Males 20-24	37.35	27.11	43.91	39.19
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	8.05	7.40	5.99	6.37
Asian/Pacific Islander (non Hispanic) Males 20-24	10.25	11.21	11.49	11.21
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable	4.48	Unreliable	4.28
Hispanic Males 10-14	1.24	1.51	1.10	1.66
Hispanic Males 15-19	8.47	7.74	9.07	9.20
Hispanic Males 20-24	13.01	10.96	11.90	12.83
Hispanic Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Hispanic Females 15-19	2.36	2.46	1.96	2.37
Hispanic Females 20-24	1.63	2.15	2.29	1.97

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

Race/Ethnicity and Gender by Age	2004	2005	2006	2007
White (non Hispanic) Males 10-14	1.78	2.04	1.56	1.24
White (non Hispanic) Males 15-19	14.22	13.97	13.30	12.47
White (non Hispanic) Males 20-24	23.78	22.99	23.67	23.99
White (non Hispanic) Females 10-14	0.97	0.60	0.70	0.48
White (non Hispanic) Females 15-19	3.91	3.28	2.99	2.86
White (non Hispanic) Females 20-24	4.07	4.59	3.99	4.51
Black (non Hispanic) Males 10-14	1.69	1.55	1.71	1.69
Black (non Hispanic) Males 15-19	7.53	7.44	7.20	6.90
Black (non Hispanic) Males 20-24	17.47	16.66	14.97	14.55
Black (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Black (non Hispanic) Females 15-19	1.93	1.44	1.34	1.26
Black (non Hispanic) Females 20-24	2.54	2.01	2.26	2.12
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	41.09	30.75	39.19	30.75
American Indian/Alaskan Native (non Hispanic) Males 20-24	37.97	51.73	48.96	51.14
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	18.57	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	8.51	5.06	8.62	8.33
Asian/Pacific Islander (non Hispanic) Males 20-24	10.13	9.59	15.55	18.50
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	Unreliable	4.33	4.75	5.77
Hispanic Males 10-14	1.24	1.37	Unreliable	Unreliable
Hispanic Males 15-19	9.87	9.53	7.87	9.38
Hispanic Males 20-24	15.30	14.32	14.97	13.63
Hispanic Females 10-14	Unreliable	Unreliable	Unreliable	Unreliable
Hispanic Females 15-19	2.73	2.39	2.91	1.87
Hispanic Females 20-24	2.36	3.01	2.33	2.46

Suicide deaths (rate per 100,000)

Source: CDC WONDER

Description: Suicide deaths (rate per 100,000): Purposely-inflicted poisoning or injury; suicide (attempted)

Item: Death certificates

<http://apps.who.int/classifications/icd10/browse/2010/en#/X60-X84>

Race/Ethnicity and Gender by Age	2008	2009	2010
White (non Hispanic) Males 10-14	1.74	1.66	2.03
White (non Hispanic) Males 15-19	13.44	14.01	14.18
White (non Hispanic) Males 20-24	24.11	23.62	26.65
White (non Hispanic) Females 10-14	0.67	0.96	0.66
White (non Hispanic) Females 15-19	3.13	3.53	3.51
White (non Hispanic) Females 20-24	4.61	4.51	5.34
Black (non Hispanic) Males 10-14	1.28	2.15	1.44
Black (non Hispanic) Males 15-19	8.79	6.98	7.05
Black (non Hispanic) Males 20-24	16.93	14.76	16.71
Black (non Hispanic) Females 10-14	Unreliable	Unreliable	1.29
Black (non Hispanic) Females 15-19	2.20	1.84	1.16
Black (non Hispanic) Females 20-24	3.07	2.66	3.09
American Indian/Alaskan Native (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Males 15-19	40.61	40.47	39.11
American Indian/Alaskan Native (non Hispanic) Males 20-24	47.33	51.98	65.50
American Indian/Alaskan Native (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable
American Indian/Alaskan Native (non Hispanic) Females 15-19	Unreliable	Unreliable	17.71
American Indian/Alaskan Native (non Hispanic) Females 20-24	Unreliable	21.52	Unreliable
Asian/Pacific Islander (non Hispanic) Males 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Males 15-19	4.90	7.08	5.91
Asian/Pacific Islander (non Hispanic) Males 20-24	12.04	11.51	14.45
Asian/Pacific Islander (non Hispanic) Females 10-14	Unreliable	Unreliable	Unreliable
Asian/Pacific Islander (non Hispanic) Females 15-19	Unreliable	4.39	Unreliable
Asian/Pacific Islander (non Hispanic) Females 20-24	5.64	6.54	3.93
Hispanic Males 10-14	Unreliable	1.49	0.86
Hispanic Males 15-19	7.82	9.01	8.10
Hispanic Males 20-24	13.82	14.51	13.25
Hispanic Females 10-14	Unreliable	Unreliable	0.99
Hispanic Females 15-19	2.57	2.78	2.88
Hispanic Females 20-24	2.27	2.26	3.37

Major Depressive Episode (past year)

Source NSDUH
 Description Major Depressive Episode (past year)
 Item A respondent was classified as having a major depressive episode (MDE) in their lifetime (AMDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in

Past Year Major Depressive Episode (ANSWERED YES)					
		2005	2008	2011	2012
12-17	Total	8.6%	8.3%	8.3%	9.3%
	White NH	8.9%	8.7%	8.9%	9.5%
	Black NH	7.1%	7.5%	7.0%	7.9%
	Native American/Alaska Native NH	6.5%	10.4%	13.2%	5.4%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	5.9%	9.0%	7.7%	4.2%
	Hispanic	9.1%	7.2%	7.6%	10.5%
	Female Total	12.9%	12.6%	12.1%	14.2%
	White NH	13.1%	13.2%	13.2%	14.8%
	Black NH	11.0%	11.8%	10.5%	12.7%
	Native American/Alaska Native NH	7.4%	12.3%	21.1%	10.7%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	4.6%	Unreliable
	Asian NH	Unreliable	13.6%	Unreliable	4.1%
	Hispanic	14.6%	11.0%	10.6%	15.4%
	Male Total	4.4%	4.3%	4.7%	4.6%
	White NH	4.9%	4.5%	4.6%	4.4%
	Black NH	3.3%	3.1%	3.6%	3.3%
	Native American/Alaska Native NH	5.6%	9.1%	3.2%	1.1%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	Unreliable	4.8%	6.4%	4.3%
	Hispanic	4.0%	3.7%	4.8%	5.8%

MDE Definition: <http://www.ncbi.nlm.nih.gov/books/NBK64063/>

Major Depressive Episode (past year)

Source NSDUH
 Description Major Depressive Episode (past year)
 Item A respondent was classified as having a major depressive episode (MDE) in their lifetime (AMDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in

Past Year Major Depressive Episode (ANSWERED YES)					
		2005	2008	2011	2012
18-25	Total	8.7%	8.5%	8.2%	9.0%
	White NH	9.5%	8.8%	9.0%	10.0%
	Black NH	6.6%	6.5%	5.7%	5.9%
	Native American/Alaska Native NH	10.7%	9.1%	2.9%	10.4%
	Native Hawaiian/ Other Pacific Islander NH	10.2%	10.5%	Unreliable	5.9%
	Asian NH	5.8%	6.7%	8.3%	7.7%
	Hispanic	8.0%	9.2%	7.4%	8.5%
	Female Total	11.8%	11.6%	10.9%	11.9%
	White NH	13.1%	11.9%	12.2%	12.6%
	Black NH	9.2%	8.4%	8.1%	9.0%
	Native American/Alaska Native NH	9.8%	14.8%	4.0%	14.1%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	7.0%	10.0%	11.4%	10.3%
	Hispanic	10.3%	12.6%	8.9%	12.1%
	Male Total	5.7%	5.5%	5.6%	6.1%
	White NH	5.9%	5.8%	5.8%	7.5%
	Black NH	3.6%	4.4%	3.1%	2.6%
Native American/Alaska Native NH	11.9%	1.6%	1.1%	6.3%	
Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable	
Asian NH	4.6%	3.6%	4.9%	4.8%	
Hispanic	5.9%	6.0%	6.0%	5.0%	

Suicide Attempt (past year)

Source YRBS
 Description Suicide Attempt (past year)
 Item During the past 12 months, how many times did you actually attempt suicide?

Attempted Suicide One or More Times							
During the 12 months before the survey							
		2001	2003	2005	2007	2009	2011
Grades 9-12	Total	8.84	8.47	8.41	6.94	6.31	7.76
	White NH	7.92					6.21
	Black NH	8.76					8.25
	Hispanic	12.12					10.17
	Asian-NH	9.99					10.78
	AI/AN	19.66					14.75
	Female Total	11.18					9.76
	White NH	10.29					7.89
	Black NH	9.76					8.78
	Hispanic	15.95					13.47
	Asian-NH	12.96					15.04
	AI/AN	NA					19.93
	Male Total	6.24					5.81
	White NH	5.3					4.59
	Black NH	7.49					7.73
	Hispanic	8.04					6.87
	Asian-NH	7.05					7
	AI/AN	NA					9.99

AI/AN = American Indian or Alaska Native

H = Hispanic

2 yrs <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H27&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=True&C1=2001&C2=2011&QP=G&DP=2&VA=CI&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

2001-2011 <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=C&OUT=0&SID=HS&QID=H27&LID=XX&YID=2001&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=CI&CS=N&SYID=&EYID=&SC=DEFAULT&SO=ASC>

All Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H27&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=CI&CS=N&SYID=1991&EYID=2011&SC=DEFAULT&SO=ASC>

Used diet pills, powders and liquids, vomiting or use of laxatives to lose weight (past month)

Survey	YRBS
Description	Used diet pills, powders and liquids, vomiting or use of laxatives to lose weight (past month)
Item	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)

Took Diet Pills, Powders, or Liquids to Lose Weight or to Keep From Gaining Weight							
		(without a doctor's advice, during the 30 days before the survey)					
		2001	2003	2005	2007	2009	2011
Grades 9-12	Total	9.17	9.21	6.31	5.86	4.99	5.06
	White NH	9.5					4.71
	Black NH	5.95					4.17
	Hispanic	10.12					6.38
	Asian-NH	7.12					3.47
	AI/AN	15.18					5.37
	Male Total	5.53					4.23
	White NH	5.22					3.67
	Black NH	4.37					4.26
	Hispanic	6.67					5.03
	Asian-NH	5.09					4.01
	AI/AN	12.65					3.44
	Female Total	12.62					5.88
	White NH	13.6					5.81
	Black NH	7.45					4.08
	Hispanic	13.47					7.76
	Asian-NH	9.14					2.84
	AI/AN	17.27					7.47

All Years <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H70&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=2&VA=CI&CS=N&SYID=1999&EYID=2011&SC=DEFAULT&SO=ASC>

ADHD

Source NHIS
Description ADHD

Attention deficit hyperactivity disorder ages 10-17: US, 1997-2011 (Source: NHIS)						
Year	1998-2000			2001-2003		
Sex	All	Male	Female	All	Male	Female
Race/Ethnicity						
All	8.1	11.7	4.2	8.8	12.7	4.9
White	9.1	13.1	4.8	9.4	13.4	5.2
Black	5.1	7.8	2.4	8	12.3	3.7
American Indian/Alaska Native	--	--	--	--	--	--
Asian	--	--	--	--	--	--
Native Hawaiian/other Pacific Islander	--	--	--	--	--	--
Multiple race	8.7	10.6	--	8.7	11.4	--
Hispanic	4.4	6.4	2.2	4.8	6.8	2.8
Puerto Rican	6.3	9.3	--	10.6	14.5	--
Mexican	3.2	4.3	2.1	3.7	5.3	2
Non-Hispanic	8.7	12.6	4.5	9.6	13.8	5.2
Non-Hispanic White	9.8	14.2	5.2	10.4	14.8	5.8
Non-Hispanic Black	5.1	7.8	2.4	7.8	12.1	3.6

unreliable = --

Prevalence of attention deficit hyperactivity disorder was estimated using "yes" responses to the question: "Has a doctor or health professional ever told you that your child had Attention Deficit Hyperactivity Disorder (ADHD) or Attention Deficit Disorder (ADD)?" Prevalence of learning disability was estimated using "yes" responses to the question: "Has a representative from a school or a health professional ever told you that your child had a learning disability?" Prevalence of behavioral difficulty, available beginning in 2001, was estimated using "yes" responses of "yes, definite difficulties" or "yes, severe difficulties" to the question: "Overall do you think that your child has difficulties in any of the following areas: emotions, concentration, behavior, or being able to get along with other people?" These questions are included in the standard NHIS sample child questionnaire.

ADHD

Source NHIS
Description ADHD

Attention deficit hyperactivity disorder ages 10-17: US, 1997-2011 (Source: NHIS)									
Year	2004-2006			2007-2009			2010-2012		
Sex	All	Male	Female	All	Male	Female	All	Male	Female
Race/Ethnicity									
All	9.3	13.1	5.2	10.9	15.3	6.3	11.8	16	7.3
White	9.6	13.4	5.5	11.1	15.5	6.5	12.3	16.9	7.5
Black	9.1	13.5	4.6	10.8	15.5	6	11	14.4	7.6
American Indian/Alaska Native	--	--	--	--	--	--	13.5	17.7	--
Asian	2.2	--	--	2.8	--	--	3	4.9	--
Native Hawaiian/other Pacific Islander	--	--	--	--	--	--	--	--	--
Multiple race	12.4	20.8	--	16.7	21.6	10.7	13.7	17.1	10.6
Hispanic	5.5	7.8	3	5.5	7.7	3.2	6.5	9.2	3.6
Puerto Rican	10.6	17.5	--	12.3	17.8	--	15.6	20.7	10.4
Mexican	4.8	6.5	2.9	4.9	6.6	3.1	5	7.3	2.6
Non-Hispanic	10.1	14.3	5.7	12.2	17	7.1	13.2	17.9	8.3
Non-Hispanic White	10.8	15.1	6.2	12.8	18	7.5	14.4	19.6	8.9
Non-Hispanic Black	9	13.2	4.7	11	15.7	6.2	11.4	15	7.7

unreliable = --

Prevalence of attention deficit hyperactivity disorder was estimated using "yes" responses to the question: "Has a doctor or health professional ever told you that your child had Attention Deficit Hyperactivity Disorder (ADHD) or Attention Deficit Disorder (ADD)?" Prevalence of learning disability was estimated using "yes" responses to the question: "Has a representative from a school or a health professional ever told you that your child had a learning disability?" Prevalence of behavioral difficulty, available beginning in 2001, was estimated using "yes" responses of "yes, definite difficulties" or "yes, severe difficulties" to the question: "Overall do you think that your child has difficulties in any of the following areas: emotions, concentration, behavior, or being able to get along with other people?" These questions are included in the standard NHIS sample child questionnaire.

Cigarette Use (past month)

Survey NSDUH
 Description Cigarette use (past month)
 Item Now think about the past 30 days – that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?

Past Month Cigarette Use					
		2002	2006	2011	2012
12-17	Total	13.0%	10.6%	7.9%	6.7%
	White NH	15.8%	12.7%	9.6%	8.4%
	Black NH	6.2%	6.0%	4.9%	4.2%
	Native American/Alaska Native NH	25.7%	25.7%	11.1%	11.5%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	3.8%	5.1%	3.6%	1.9%
	Hispanic	10.0%	8.2%	6.3%	4.7%
	Female Total	13.7%	11.1%	7.6%	6.3%
	White NH	17.1%	13.6%	9.4%	8.1%
	Black NH	5.5%	6.0%	4.2%	3.4%
	Native American/Alaska Native NH	Unreliable	26.9%	11.9%	14.6%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	3.3%	3.7%	3.0%	1.7%
	Hispanic	10.2%	7.9%	5.9%	4.5%
	Male Total	12.3%	10.1%	8.2%	7.0%
	White NH	14.6%	11.9%	9.8%	8.7%
	Black NH	7.0%	6.0%	5.5%	5.0%
	Native American/Alaska Native NH	16.4%	24.1%	9.9%	8.9%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	4.3%	6.4%	4.2%	2.1%
	Hispanic	9.9%	8.4%	6.5%	5.0%

Cigarette Use (past month)

Survey NSDUH
 Description Cigarette use (past month)
 Item Now think about the past 30 days – that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?

Past Month Cigarette Use					
		2002	2006	2011	2012
18-25	Total	40.8%	38.7%	33.2%	31.9%
	White NH	46.9%	44.5%	37.7%	36.7%
	Black NH	27.9%	27.5%	25.0%	26.2%
	Native American/Alaska Native NH	47.3%	47.7%	52.5%	53.5%
	Native Hawaiian/ Other Pacific Islander NH	48.2%	Unreliable	Unreliable	30.2%
	Asian NH	27.0%	27.1%	22.6%	14.5%
	Hispanic	30.8%	29.4%	27.7%	25.7%
	Female Total	36.9%	35.2%	28.5%	27.2%
	White NH	44.8%	42.1%	33.5%	32.7%
	Black NH	23.2%	23.7%	19.7%	21.7%
	Native American/Alaska Native NH	Unreliable	49.2%	46.0%	43.1%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	21.5%	24.3%	18.7%	9.7%
	Hispanic	21.9%	22.3%	20.8%	19.7%
	Male Total	44.6%	42.1%	37.9%	36.6%
	White NH	49.1%	46.9%	41.8%	40.8%
	Black NH	33.4%	31.6%	30.9%	30.9%
	Native American/Alaska Native NH	55.1%	46.5%	62.8%	65.5%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	33.3%	30.4%	26.8%	19.7%
	Hispanic	38.4%	35.4%	33.9%	31.5%

Alcohol use (past month)

Source NSDUH
 Description Alcohol use (past month)
 Item How long has it been since you last drank an alcoholic beverage?

Past Month Alcohol Use					
		2002	2006	2011	2012
12-17	Total	17.6%	17.0%	13.1%	12.9%
	White NH	20.1%	19.6%	14.4%	14.6%
	Black NH	11.1%	10.1%	10.6%	8.7%
	Native American/Alaska Native NH	21.7%	23.0%	13.8%	9.0%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	7.2%	8.2%	7.7%	5.3%
	Hispanic	16.7%	16.4%	12.0%	13.0%
	Female Total	18.1%	17.5%	13.1%	13.1%
	White NH	20.7%	20.0%	14.1%	15.0%
	Black NH	11.3%	10.5%	11.1%	8.7%
	Native American/Alaska Native NH	Unreliable	22.7%	18.1%	14.0%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	7.8%	8.8%	6.6%	4.2%
	Hispanic	16.6%	17.7%	12.8%	13.1%
	Male Total	17.2%	16.6%	13.0%	12.6%
	White NH	19.5%	19.3%	14.8%	14.2%
	Black NH	10.8%	9.7%	10.2%	8.6%
	Native American/Alaska Native NH	8.2%	23.4%	8.0%	4.8%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	6.6%	7.8%	8.6%	6.4%
	Hispanic	16.9%	15.2%	11.2%	13.0%

Alcohol use (past month)

Source NSDUH
 Description Alcohol use (past month)
 Item How long has it been since you last drank an alcoholic beverage?

Past Month Alcohol Use					
		2002	2006	2011	2012
18-25	Total	60.5%	62.2%	60.8%	60.2%
	White NH	67.1%	69.7%	67.8%	66.6%
	Black NH	48.3%	46.6%	49.8%	50.7%
	Native American/Alaska Native NH	58.2%	53.9%	52.2%	53.4%
	Native Hawaiian/ Other Pacific Islander NH	57.3%	55.1%	Unreliable	Unreliable
	Asian NH	49.1%	50.8%	48.7%	47.8%
	Hispanic	49.0%	65.2%	52.0%	53.3%
	Female Total	55.7%	58.3%	58.7%	57.9%
	White NH	63.2%	66.3%	65.8%	65.1%
	Black NH	44.0%	44.3%	47.8%	50.2%
	Native American/Alaska Native NH	Unreliable	37.2%	45.7%	52.8%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	46.0%	48.1%	47.5%	41.9%
	Hispanic	40.6%	60.8%	49.1%	48.4%
	Male Total	65.2%	66.1%	62.9%	62.6%
	White NH	70.9%	73.0%	69.8%	68.1%
	Black NH	53.2%	49.2%	52.0%	51.3%
Native American/Alaska Native NH	70.3%	67.8%	62.4%	54.1%	
Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable	
Asian NH	52.6%	54.0%	49.9%	54.2%	
Hispanic	56.3%	70.7%	54.7%	58.0%	

Binge Alcohol Use (past 30 days)

Source	NSDUH
Description	Binge Alcohol Use (past 30 days)
Item	During the past 30 days, that is, since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

Binge Alcohol Use Past 30 Days					
		2002	2006	2011	2012
12-17	Total	10.8%	10.5%	7.3%	7.1%
	White NH	12.6%	12.6%	8.5%	8.2%
	Black NH	5.1%	4.7%	4.6%	3.5%
	Native American/Alaska Native NH	17.2%	15.1%	10.7%	6.0%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	3.3%	6.2%	3.8%	2.7%
	Hispanic	10.6%	9.6%	6.8%	7.5%
	Female Total	10.2%	10.2%	7.0%	6.8%
	White NH	11.7%	12.2%	7.5%	7.7%
	Black NH	5.3%	4.4%	5.1%	3.1%
	Native American/Alaska Native NH	Unreliable	10.1%	10.7%	9.7%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	4.2%	8.2%	1.8%	2.1%
	Hispanic	10.1%	9.1%	7.4%	7.4%
	Male Total	11.3%	10.9%	7.7%	7.4%
	White NH	13.5%	13.0%	9.4%	8.7%
	Black NH	4.8%	4.9%	4.0%	3.8%
	Native American/Alaska Native NH	8.1%	21.6%	7.4%	3.0%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	2.4%	4.5%	5.7%	3.3%
	Hispanic	11.0%	10.2%	6.2%	7.7%

Binge Alcohol Use (past 30 days)

Source NSDUH
 Description Binge Alcohol Use (past 30 days)
 Item During the past 30 days, that is, since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

		Binge Alcohol Use Past 30 Days			
		2002	2006	2011	2012
18-25	Total	41.0%	42.3%	40.0%	39.5%
	White NH	46.9%	49.2%	46.6%	45.6%
	Black NH	26.1%	23.5%	27.2%	26.5%
	Native American/Alaska Native NH	43.1%	43.9%	38.3%	44.9%
	Native Hawaiian/ Other Pacific Islander NH	46.0%	46.3%	40.5%	27.8%
	Asian NH	23.7%	27.3%	23.5%	26.6%
	Hispanic	35.2%	36.2%	35.1%	35.2%
	Female Total	31.7%	34.1%	33.8%	33.3%
	White NH	38.0%	41.3%	39.5%	39.3%
	Black NH	19.1%	18.4%	22.8%	24.4%
	Native American/Alaska Native NH	Unreliable	30.6%	28.1%	44.4%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	17.2%	21.6%	20.9%	22.1%
	Hispanic	23.6%	24.5%	29.4%	26.5%
	Male Total	50.3%	50.4%	46.2%	45.6%
	White NH	55.9%	57.1%	53.7%	51.9%
	Black NH	34.2%	29.1%	32.1%	28.7%
Native American/Alaska Native NH	60.4%	55.0%	54.6%	45.5%	
Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable	
Asian NH	31.2%	33.9%	26.2%	31.5%	
Hispanic	45.2%	46.1%	40.3%	43.4%	

Heavy drinking: 5 or more binge episodes (past month)

Source NSDUH

Description Heavy drinking: 5 or more binge episodes (past month)

Item During the past 30 days, that is, since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, occasion means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

Heavy Alcohol Use (past month)		2002	2006	2011	2012
12-17	Total	2.6%	2.5%	1.5%	1.3%
	White NH	3.3%	3.2%	2.0%	1.8%
	Black NH	0.6%	0.4%	0.5%	0.2%
	Native American/Alaska Native NH	3.2%	2.8%	2.4%	1.1%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	0.1%	0.2%	0.5%	0.1%
	Hispanic	2.2%	2.5%	0.9%	1.0%
	Female Total	2.1%	2.0%	1.2%	1.1%
	White NH	2.6%	2.6%	1.5%	1.6%
	Black NH	0.5%	0.4%	0.5%	0.1%
	Native American/Alaska Native NH	Unreliable	3.0%	2.4%	1.6%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	0.1%	0.1%	0.0%	0.1%
	Hispanic	2.0%	1.9%	0.6%	0.8%
	Male Total	3.1%	2.9%	1.8%	1.5%
	White NH	3.9%	3.8%	2.5%	2.0%
	Black NH	0.8%	0.5%	0.5%	0.3%
	Native American/Alaska Native NH	2.4%	2.4%	1.0%	0.7%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	0.1%	0.3%	0.9%	0.2%
	Hispanic	2.5%	3.0%	1.3%	1.2%

Heavy drinking: 5 or more binge episodes (past month)

Source NSDUH

Description Heavy drinking: 5 or more binge episodes (past month)

Item During the past 30 days, that is, since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, occasion means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

Heavy Alcohol Use (past month)					
		2002	2006	2011	2012
18-25	Total	15.0%	15.4%	12.3%	12.9%
	White NH	19.1%	20.1%	15.8%	16.5%
	Black NH	5.7%	4.7%	4.6%	5.9%
	Native American/Alaska Native NH	11.0%	15.3%	12.3%	11.2%
	Native Hawaiian/ Other Pacific Islander NH	15.4%	23.2%	Unreliable	6.5%
	Asian NH	7.2%	5.2%	4.4%	5.3%
	Hispanic	9.6%	9.6%	9.9%	9.9%
	Female Total	8.7%	10.1%	8.0%	8.1%
	White NH	11.3%	13.4%	10.5%	10.7%
	Black NH	3.0%	2.8%	3.0%	4.9%
	Native American/Alaska Native NH	Unreliable	12.9%	4.9%	6.8%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	3.3%	3.9%	3.9%	4.3%
	Hispanic	5.3%	5.6%	5.2%	4.2%
	Male Total	21.4%	20.7%	16.6%	17.6%
	White NH	26.9%	26.8%	21.1%	22.1%
	Black NH	8.8%	6.8%	6.4%	7.0%
Native American/Alaska Native NH	19.7%	17.3%	24.1%	16.2%	
Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable	
Asian NH	11.6%	6.8%	4.9%	6.5%	
Hispanic	13.4%	13.1%	14.1%	15.2%	

Marijuana use (past month)

Source NSDUH

Description Marijuana use (past month)

Item What is your best guess of how long it has been since you last used marijuana or hashish?

Marijuana Use (past month)					
		2002	2006	2011	2012
12-17	Total	8.2%	6.5%	8.0%	7.3%
	White NH	9.1%	7.1%	8.1%	7.8%
	Black NH	7.1%	6.1%	8.1%	7.6%
	Native American/Alaska Native NH	16.8%	12.6%	10.3%	7.3%
	Native Hawaiian/ Other Pacific Islander NH	5.7%	Unreliable	Unreliable	Unreliable
	Asian NH	1.4%	2.6%	2.9%	1.9%
	Hispanic	6.9%	5.5%	7.7%	6.7%
	Female Total	7.3%	6.6%	6.7%	7.0%
	White NH	8.5%	7.6%	7.0%	7.5%
	Black NH	5.5%	5.3%	6.4%	7.5%
	Native American/Alaska Native NH	Unreliable	9.2%	12.5%	7.0%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	1.6%	1.7%	1.2%	2.7%
	Hispanic	5.0%	5.2%	6.6%	6.2%
	Male Total	9.0%	6.4%	9.1%	7.7%
	White NH	9.6%	6.6%	9.2%	8.1%
	Black NH	8.7%	6.8%	9.6%	7.7%
	Native American/Alaska Native NH	6.0%	17.0%	7.3%	7.5%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	1.3%	3.4%	4.5%	1.1%
	Hispanic	8.8%	5.7%	8.8%	7.1%

Marijuana use (past month)

Source NSDUH
 Description Marijuana use (past month)
 Item What is your best guess of how long it has been since you last used marijuana or hashish?

		Marijuana Use (past month)			
		2002	2006	2011	2012
18-25	Total	17.3%	16.4%	18.8%	18.5%
	White NH	20.0%	18.8%	20.2%	19.6%
	Black NH	15.6%	14.9%	20.2%	22.4%
	Native American/Alaska Native NH	20.1%	25.5%	19.5%	14.8%
	Native Hawaiian/ Other Pacific Islander NH	9.4%	25.2%	Unreliable	Unreliable
	Asian NH	7.2%	8.4%	9.7%	7.8%
	Hispanic	11.1%	10.5%	16.5%	14.8%
	Female Total	13.3%	12.7%	14.8%	13.9%
	White NH	15.2%	14.8%	16.3%	14.3%
	Black NH	11.4%	11.3%	14.3%	19.2%
	Native American/Alaska Native NH	Unreliable	11.8%	12.2%	10.3%
	Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable
	Asian NH	6.2%	8.6%	8.8%	6.8%
	Hispanic	9.8%	7.0%	12.3%	10.8%
	Male Total	21.3%	20.0%	22.8%	23.0%
White NH	24.9%	22.8%	24.1%	24.8%	
Black NH	20.6%	18.8%	26.8%	25.7%	
Native American/Alaska Native NH	27.1%	36.9%	31.1%	19.9%	
Native Hawaiian/ Other Pacific Islander NH	Unreliable	Unreliable	Unreliable	Unreliable	
Asian NH	8.3%	8.1%	10.7%	9.0%	
Hispanic	12.10%	13.4%	20.3%	18.6%	

Never had vaginal intercourse

Source National Survey of Family Growth

Description Never had vaginal intercourse

Item Has a male ever put his penis in your vagina (also known as vaginal intercourse)?

Have you ever put your penis in a female's vagina (also known as vaginal intercourse)?

Never had Vaginal Intercourse		
Males	2002	2007-2010
15-19	51.1%	56.3%
20-24	12.5%	15.5%
Females		
15-19	47.0%	52.6%
20-24	12.7%	12.9%

Prevalence and Timing of Oral Sex with Opposite-sex Partners Among Females and Males Aged 15–24 Years: United States, 2007–2010 TABLE 1

Sexual Behavior and Selected Health Measures: Men and Women 15–44 Years of Age, United States, 2002 TABLES 4 and 5

Never had same sex sexual contact

Source National Survey of Family Growth
Description Never had same sex sexual contact
Item

Never had same sex sexual contact		
Females	2002	2006-2008
15-19	89.4%	89.0%
20-24	85.8%	84.2%
Males		
15-19	95.5%	97.5%
20-24	94.5%	94.4%

Sexual Behavior, Sexual Attraction, and Sexual Identity in the United States: Data From the 2006–2008 National Survey of Family Growth - Tables 5 and 6

More than five opposite sex sexual partners (past year)

Source	National Survey of Family Growth
Description	More than five opposite sex sexual partners (past year)
Item	Thinking about the last 12 months, how many female sex partners have you had in the 12 months since (CMLSTYR_FILL)? Please count every partner, even those you had sex with only once in those 12 months.

% Reported having 5 or more opposite sex sexual partners in previous 12 months	
Males	2006-2010
15-19	3.60%
20-24	6.80%
Females	
15-19	3.50%
20-24	3.20%

HIV Risk-Related Behaviors in the United States Household Population Aged 15–44 Years: Data from the

Contraceptive use by women at risk of pregnancy (past 3 months)

Source	National Survey of Family Growth
Description	Contraceptive use by women at risk of pregnancy (past 3 months)
Item	Whether she or a partner has ever used each of 22 methods of contraception at any time in her life; Whether she or her partner used any of these methods the first time she had intercourse with a male; What method or methods she is currently using.

2002 & 2006- 2010 DATA: Currently use of a method of contraception by women at risk of unintended pregnancy aged 15 - 24 years, 2002, 2006-2010

	2002		
	Percent currently using a method	Percent not currently using a method	Standard Error
15 - 24 Years of Age	N/A	N/A	N/A
15 - 19 Years of Age	82.0	18	N/A
20 - 24 Years of Age	87.9	12.1	N/A

Current Contraceptive Use in the United States, 2006–2010, and Changes in Patterns of Use Since 1995
Table 3

Women are considered to be “at risk” of an unintended pregnancy if

1) they are using a method of contraception during the month of interview, or 2) they are not using a method of contraception in the month of interview, but have had sexual intercourse in the prior 3 months.

Contraceptive use by women at risk of pregnancy (past 3 months)

Source	National Survey of Family Growth
Description	Contraceptive use by women at risk of pregnancy (past 3 months)
Item	Whether she or a partner has ever used each of 22 methods of contraception at any time in her life; Whether she or her partner used any of these methods the first time she had intercourse with a male; What method or methods she is currently using.

2002 & 2006- 2010 DATA: Currently use of a method of contraception by women at risk of unintended pregnancy aged 15 - 24 years, 2002, 2006-2010

2006-2010		
Percent currently using a method	Percent not currently using a method	Standard Error
85.2	14.8	1.06
82.0	18.0	1.71
87.0	13.0	1.29

Condom use at last intercourse

Source YRBS
 Description Condom use at last intercourse
 Item The last time you had sexual intercourse, did you or your partner use a condom?

Used a Condom During Last Sexual Intercourse							
		2001	2003	2005	2007	2009	2011
Grades 9-12	Total	57.85	63.02	62.8	61.51	61.09	60.2
	White NH	56.81					59.5
	Black NH	67.14					65.32
	Hispanic	53.48					58.42
	Asian-NH						
	AI/AN						66.19
	Female Total	51.33					53.55
	White NH	50.97					53.38
	Black NH	60.73					53.79
	Hispanic	47.62					53.01
	Asian-NH						NA
	AI/AN						NA
	Male Total	65.1					66.95
	White NH	63.8					66.32
	Black NH	72.67					75.37
	Hispanic	59.1					63.39
	Asian-NH	NA					
	AI/AN	NA					

2011 <http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=&OUT=&SID=HS&QID=H65&LID=&YID=&LID2=&YID2=&COL=&ROW1=&ROW2=&HT=&LCT=&FS=&FR=&FG=&FSL=&FRL=&FGL=&PV=&TST=&C1=&C2=&QP=L&DP=&VA=CI&CS=Y&SYID=&EYID=&SC=&SO=>

Pregnancy (rate per 1,000)

Survey NSFG
 Description Pregnancy (rate per 1,000)
 Item From NSFG; see technical notes in document for more info

Estimated pregnancy rates and rates of pregnancy outcomes for the united states 1990-2008													
Rates per 1,000													
		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
15-19	all	90.1	86.9	85.8	80.8	76.3	73.6	71.9	70.2	72.1	71.9	69.8	65.6
	-NH Black	168.4	161.9	160.5	148.0	138.2	130.9	126.7	122.1	128.0	123.5	121.6	114.5
	-NH White	61.8	59.0	56.9	52.9	49.6	47.7	45.8	44.6	45.4	45.9	44.8	42.8
	-Hispanic	146.3	143.2	143.9	137.7	131.8	127.5	127.1	122.3	123.5	119.9	111.5	100.5
		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
20-24	all	178.9	177.8	180.7	173.7	168.9	166.6	164.8	163.4	169.0	167.5	163.0	153.8
	-NH Black	299.1	298.9	301.4	284.0	272.5	265.0	259.9	257.6	267.9	264.3	261.6	250.8
	-NH White	139.8	137.7	138.1	131.9	127.6	126.7	124.4	124.1	127.5	127.2	124.2	118.1
	-Hispanic	243.2	241.1	250.3	247.5	245.6	243.2	241.9	240.9	248.8	243.3	229.5	208.3

Source Ventura, S.J. (2012). Estimated Pregnancy Rates and Rates of Pregnancy outcomes for the United States, 1990-2008. National Vital Statistic Reports 2012

Births (rate per 1,000)

Survey National Vital Statistics System (not a survey)
 Description Births (rate per 1,000)
 Items Registered Births

		Births (rate per 1,000)							
		2000	2005	2007	2008	2009	2010	2011	2012
15-19	All	47.7	39.7	41.5	40.2	37.9	34.2	31.3	29.4
	White NH	32.6	26.0	27.2	26.7	25.7	23.5	21.7	20.5
	Black NH	79.2	59.4	62.0	60.4	56.8	51.5	47.3	43.9
	American Indian or Alaska Native	58.3	46.0	49.3	47.3	43.7	38.7	36.1	34.9
	Asian/Pacific Islander	20.5	15.4	14.8	13.8	12.6	10.9	10.2	9.7
	Hispanic	87.3	76.5	75.3	70.3	63.6	55.7	49.6	46.5
		2000	2005	2007	2008	2009	2010	2011	2012
20-24	All	109.7	101.8	105.4	101.8	96.2	90.0	85.3	83.1
	White NH	91.2	82.7	85.1	82.8	79.2	74.9	71.8	70.2
	Black NH	145.4	127.9	134.5	131.6	125.9	119.4	112.3	109.0
	American Indian or Alaska Native	117.2	102.9	105.8	102.7	96.3	91.0	86.6	81.7
	Asian/Pacific Islander	60.3	52.9	53.2	50.4	46.4	42.6	41.9	41.4
	Hispanic	161.3	161.1	164.6	154.1	140.1	126.1	116.0	111.4

Sources Hamilton BE, Martin JA, Ventura SJ. Births: Preliminary data for 2011. National vital statistics reports; vol 61 no 5. Hyattsville, MD: National Center for Health Statistics. 2012.

Ventura SJ, Curtin SC, Abma JC, Henshaw SK. Estimated pregnancy rates and rates of pregnancy outcomes for the United States, 1990-2008. National vital statistics reports; vol 60 no 7. Hyattsville, MD: National Center for Health Statistics. 2012.

Hamilton BE, Martin JA, Ventura SJ. Births: Preliminary data for 2012. National vital statistics reports; vol 62 no 3. Hyattsville, MD: National Center for Health Statistics. 2013.

Unintended Births

Survey	NSFG
Description	Unintended Births
Item	Right before you became pregnant..., did you yourself want to have a(nother) baby at any time in the future?

Unintended Births - NSFG								
		% Distribution						
						Mistimed		
	Year	Total	Intended	Unintended	Unwanted	Total Mistimed	Less than 2 years too soon	2 years or more too soon
15-19 years	2002	2,215	21.6	78.4	21.4	56.9	9	46.3
	2006-2010	2,283	22.8	77.2	19.3	57.9	6.5	51.3
20-24 years	2002	5,553	56	44	17.2	26.9	9.4	16.3
	2006-2010	5,243	49.9	50.1	16.5	33.6	11.6	21.6

Source Intended and Unintended Births in the United States: 1982–2010 Table 2

intended means the pregnancy occurred at about the time the mother wanted to become pregnant.

Mistimed by (“moderately mistimed”) means the pregnancy occurred too soon—specifically, less than 2 years before the mother wanted to become

Mistimed by (“seriously mistimed”) means the pregnancy occurred too soon—specifically, 2 years or more before the mother wanted to become pregnant.

Unwanted means the mother never wanted a baby, or a baby of that birth order (second, third, fourth, etc.).

Chlamydia (rate per 100,000)

Source CDC STD Surveillance

Description Chlamydia (rate per 100,000)

Item [This dataset contains Sexually Transmitted Disease \(STD\) morbidity case reports reported to the National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention \(NCHHSTP\), Centers for Disease Control and Prevention \(CDC\), for the 50 United States and the District of Columbia, Puerto Rico, Virgin Islands and Guam.](#)

Chlamydia								
15-19	Females	2000	2001	2002	2003	2004	2005	2006
	American Indian or Alaska Native	2844.49	2887.50	2982.96	3125.67	3175.31	3402.14	3360.06
	Asian or Pacific Islander	625.18	628.04	616.51	650.80	612.47	643.57	545.36
	Black or African American	5431.58	5747.16	5958.20	6095.04	6366.65	6197.85	6417.78
	Hispanic	1777.67	1914.37	1999.18	2035.00	2011.17	2053.13	2071.67
	White	842.85	897.42	948.83	994.61	1011.70	1005.73	991.51
	Female-total	2327.05	2506.26	2572.66	2648.37	2702.92	2733.02	2805.70
	Males							
	American Indian or Alaska Native	424.04	409.18	466.42	546.21	528.12	585.95	655.08
	Asian or Pacific Islander	90.62	94.29	85.74	80.48	86.66	124.59	72.60
	Black or African American	1029.06	1085.10	1218.09	1304.00	1425.92	1515.31	1653.79
	Hispanic	295.37	346.61	357.11	354.10	368.72	386.78	392.88
	White	87.54	93.25	100.89	103.68	112.08	112.03	116.45
	Male-total	335.68	370.45	400.59	417.00	449.13	493.41	533.45
	Total	1303.56	1408.01	1456.45	1502.24	1546.62	1584.40	1640.51
20-24	Females	2000	2001	2002	2003	2004	2005	2006
	American Indian or Alaska Native	3054.64	2832.95	3198.77	3220.13	3314.20	3445.12	3630.16
	Asian or Pacific Islander	593.45	640.92	724.75	738.47	760.96	875.42	778.78
	Black or African American	4809.30	5006.61	5165.54	5305.52	5674.35	5536.88	5793.22
	Hispanic	1760.30	1943.30	2041.29	2106.22	2118.42	2296.28	2408.55
	White	745.30	828.44	893.98	972.34	1032.48	1081.25	1094.92
	Female-total	2130.39	2334.40	2393.30	2491.17	2583.58	2667.85	2774.37
	Males							
	American Indian or Alaska Native	550.72	565.17	655.70	755.18	865.85	931.98	909.84
	Asian or Pacific Islander	146.45	157.54	189.29	184.40	205.78	247.05	190.37
	Black or African American	1536.30	1652.28	1825.39	1864.25	2077.49	2167.08	2310.23
	Hispanic	387.94	446.77	488.22	496.61	538.66	599.72	650.06
	White	169.44	197.83	227.38	252.01	271.25	294.58	308.47
	Male-total	506.82	574.73	640.00	663.33	728.52	793.63	845.96
	Total	1300.68	1434.46	1495.55	1550.79	1627.98	1700.63	1777.79

Chlamydia (rate per 100,000)

Source CDC STD Surveillance

Description Chlamydia (rate per 100,000)

Item [This dataset contains Sexually Transmitted Disease \(STD\) morbidity case reports reported to the National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention \(NCHHSTP\), Centers for Disease Control and Prevention \(CDC\), for the 50 United States and the District of Columbia, Puerto Rico, Virgin Islands and Guam.](#)

Chlamydia						
15-19	Females	2007	2008	2009	2010	2011
	American Indian or Alaska Native	3158.99	3457.42	3350.53	3267.57	3624.43
	Asian or Pacific Islander	594.20	691.32	656.86	567.42	593.79
	Black or African American	6927.48	7507.32	7601.96	7512.41	7507.09
	Hispanic	2081.52	2229.79	2190.38	1980.80	2114.61
	White	1044.63	1108.08	1137.25	1193.80	1301.47
	Female-total	2966.27	3251.38	3314.69	3299.46	3416.49
	Males					
	American Indian or Alaska Native	597.97	654.88	646.63	674.24	781.38
	Asian or Pacific Islander	91.80	98.02	97.83	87.06	92.25
	Black or African American	1893.86	2132.75	2250.93	2276.33	2301.58
	Hispanic	413.61	462.73	451.36	416.57	447.56
	White	133.38	149.44	165.87	182.52	207.14
	Male-total	606.95	695.92	730.46	757.01	802.96
	Total	1756.94	1941.57	1988.70	1995.53	2076.11
20-24	Females	2007	2008	2009	2010	2011
	American Indian or Alaska Native	3345.26	3653.21	3663.15	4351.27	4688.02
	Asian or Pacific Islander	815.97	974.92	927.73	796.57	856.97
	Black or African American	6338.04	6746.09	6813.66	7228.86	7680.17
	Hispanic	2457.44	2636.43	2540.96	2411.21	2674.78
	White	1158.78	1209.24	1247.39	1400.74	1595.46
	Female-total	2940.38	3153.20	3187.30	3367.39	3722.48
	Males					
	American Indian or Alaska Native	893.98	987.89	1043.13	1350.44	1332.14
	Asian or Pacific Islander	208.60	264.90	262.51	222.48	232.43
	Black or African American	2650.43	2915.41	3045.21	3439.28	3662.02
	Hispanic	686.26	800.55	784.73	747.95	802.20
	White	329.80	358.29	377.94	438.19	516.42
	Male-total	932.10	1050.65	1090.50	1195.60	1343.25
	Total	1904.09	2070.39	2107.38	2259.24	2508.49

Gonorrhea (rate per 100,000)

Source CDC STD Surveillance

Description Gonorrhea (rate per 100,000)

Item [This dataset contains Sexually Transmitted Disease \(STD\) morbidity case reports reported to the National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention \(NCHHSTP\), Centers for Disease Control and Prevention \(CDC\), for the 50 United States and the District of Columbia, Puerto Rico, Virgin Islands and Guam.](#)

Gonorrhea									
15-19	Females	2000	2001	2002	2003	2004	2005	2006	2007
	American Indian or Alaska Native	360.3	380.0	418.1	359.6	423.8	432.5	415.8	350.6
	Asian or Pacific Islander	89.0	99.3	76.4	74.7	64.8	86.8	74.7	65.7
	Black or African American	2670.0	2552.4	2426.3	2172.6	2075.5	2052.4	2147.0	2239.4
	Hispanic	233.0	235.3	230.4	235.3	227.3	231.6	242.0	215.9
	White	144.1	144.1	148.3	153.1	152.7	152.9	157.9	154.7
	Female-total	698.2	695.8	664.8	625.8	598.6	611.2	635.4	639.7
	Males								
	American Indian or Alaska Native	91.8	87.6	115.1	109.6	107.0	129.8	164.4	97.4
	Asian or Pacific Islander	32.7	36.3	21.9	20.5	20.2	31.7	20.9	20.3
	Black or African American	1472.5	1348.1	1268.5	1126.9	1069.7	1067.4	1133.0	1176.9
	Hispanic	108.2	106.5	99.0	96.3	95.8	92.7	101.2	98.3
	White	30.5	30.0	29.4	29.3	29.6	30.7	29.6	31.0
	Male-total	317.2	303.9	283.3	258.8	248.3	255.5	273.4	282.5
	Total	502.4	494.3	468.7	437.3	418.8	428.8	449.8	456.6
20-24	Females	2000	2001	2002	2003	2004	2005	2006	2007
	American Indian or Alaska Native	383.8	436.3	468.4	403.1	455.1	477.6	495.0	455.6
	Asian or Pacific Islander	75.1	83.3	74.5	87.9	83.8	99.1	76.1	79.6
	Black or African American	2429.5	2331.5	2214.7	2024.6	1961.8	1947.2	2075.3	2199.5
	Hispanic	197.5	206.2	210.3	226.1	222.1	240.0	254.4	241.5
	White	139.9	142.3	150.7	156.4	159.7	172.4	181.6	179.7
	Female-total	628.6	634.3	606.6	578.8	559.5	576.5	601.0	613.0
	Males								
	American Indian or Alaska Native	184.7	194.0	195.6	177.8	240.8	252.3	256.4	184.3
	Asian or Pacific Islander	76.1	61.2	51.9	43.8	52.8	72.5	54.2	49.7
	Black or African American	2842.6	2631.3	2372.4	2081.7	1927.5	1884.0	1962.2	1987.6
	Hispanic	162.3	165.2	168.5	160.0	158.3	175.9	188.2	187.0
	White	65.6	69.7	72.2	76.0	72.9	78.8	80.5	76.9
	Male-total	554.7	537.1	499.5	448.4	422.0	431.3	448.7	450.1
	Total	590.8	584.6	551.7	511.7	488.7	501.5	522.3	528.9

Gonorrhea (rate per 100,000)

Source CDC STD Surveillance

Description Gonorrhea (rate per 100,000)

Item [This dataset contains Sexually Transmitted Disease \(STD\) morbidity case reports reported to the National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention \(NCHHSTP\), Centers for Disease Control and Prevention \(CDC\), for the 50 United States and the District of Columbia, Puerto Rico, Virgin Islands and Guam.](#)

Gonorrhea					
15-19	Females	2008	2009	2010	2011
	American Indian or Alaska Native	352.4	384.1	435.7	424.2
	Asian or Pacific Islander	69.3	70.3	52.7	57.6
	Black or African American	2232.8	1986.2	1978.0	1929.6
	Hispanic	215.2	186.8	171.1	187.5
	White	140.1	121.2	121.2	121.2
	Female-total	632.5	566.0	557.6	556.5
	Males				
	American Indian or Alaska Native	105.4	112.6	142.8	133.5
	Asian or Pacific Islander	21.3	19.2	22.6	20.2
	Black or African American	1137.3	1019.9	994.8	959.9
	Hispanic	93.9	82.8	82.2	91.6
	White	28.5	27.2	28.0	31.7
	Male-total	276.3	248.3	247.7	248.6
	Total	449.9	403.0	398.7	398.6
20-24	Females	2008	2009	2010	2011
	American Indian or Alaska Native	436.9	445.7	597.1	668.6
	Asian or Pacific Islander	84.9	68.7	63.4	61.2
	Black or African American	2171.4	1954.6	1988.2	2050.4
	Hispanic	239.6	205.9	213.3	236.7
	White	170.8	146.3	161.7	169.2
	Female-total	603.6	540.3	554.1	584.2
	Males				
	American Indian or Alaska Native	214.8	197.5	279.3	355.4
	Asian or Pacific Islander	59.0	52.6	54.1	58.6
	Black or African American	1888.3	1713.9	1847.6	1875.1
	Hispanic	187.1	166.1	171.9	191.5
	White	70.0	65.6	82.5	91.8
	Male-total	431.5	396.5	424.1	450.6
	Total	514.9	466.2	487.7	516.0

HIV Diagnoses (rate per 100,000)

Source	HIV Surveillance Report: Rates of diagnoses of HIV infection among adults and adolescents, by area of residence, 2011
Description	HIV Diagnoses (rate per 100,000)
Item	State Surveillance Records

Diagnoses of HIV Infection by year of diagnosis and selected characteristics					
(Rates Per 100,000)					
		2008	2009	2010	2011
15-19	Total	10.4	10.4	9.9	10.4
	White NH				2.5
	Black NH				46.3
	Native American/Alaska Native NH				5.8
	Pacific Islander NH				5.9
	Asian NH				2.9
	Hispanic				8.1
		2008	2009	2010	2011
20-24	Total	31.4	32.3	34.4	36.4
	White NH				12.3
	Black NH				146.9
	Native American/Alaska Native NH				19.9
	Pacific Islander NH				36.6
	Asian NH				10.7
	Hispanic				33.3

NOTE - There is no earlier data available because the number of states reporting HIV data differed each year before 2008 (was less than 50) - therefore the rates are not comparable.

Youth With Special Health Care Needs

Source FROM NSCSHCN- CAHMI website

Description Youth with special health care needs/Chronic conditions

How many youth (ages 12-17) have special health care needs?			
		2005-06	2009-10
	All	16.8%	18.4%

How many children currently have one or more chronic health conditions from a list of 18 conditions?			
		2007	2011-2012
	All	29.2%	30.8%

Dental Decay

Survey NHANES
 Definition Presence of at least one tooth with dental decay
 (Physical Examination)

% With Dentay Decay Present		
		2007-2008
12-17	Mexican American	19.10%
	Other Hispanic	16.50%
	White NH	10.10%
	Black NH	17.60%
	Other	13.90%
	Total	15.30%
	Mexican American	15.60%
	Other Hispanic	16.40%
	White NH	10.40%
	Black NH	20.50%
	Other	7.10%
	Female Total	15.10%
	Mexican American	22.20%
	Other Hispanic	16.70%
	White NH	9.90%
	Black NH	14.70%
	Other	18.20%
	Male Total	15.40%

Dental Decay

Survey NHANES
 Definition Presence of at least one tooth with dental decay
 (Physical Examination)

% With Dentay Decay Present		
		2007-2008
18-25	Mexican American	29.80%
	Other Hispanic	25.70%
	White NH	20.20%
	Black NH	37.40%
	Other	32.10%
	Total	27.90%
	Mexican American	24.70%
	Other Hispanic	23.20%
	White NH	13.80%
	Black NH	40.00%
	Other	35.70%
	Female Total	25.00%
	Mexican American	34.90%
	Other Hispanic	28.90%
	White NH	25.50%
	Black NH	35.10%
	Other	28.60%
	Male Total	30.50%

Hearing loss (>15 dB)

Source Shargorodsky, J et al. (2010). Change in Prevalence of Hearing Loss in US Adolescents
Description Hearing loss (>15 dB)
Item Physical Examination

% With Any Hearing Loss		
Age	NHANES III (1988-1994)	NHANES 2005-2006
12-13	16.00%	16.00%
14-15	13.70%	20.10%
16-17	14.90%	21.50%
18-19	15.20%	20.10%

Current Asthma Prevalence

Source NHIS (HDI)

Description % With current asthma as diagnosed by a physician

Year				2003-2005				
Income				All	Poor	Near poor	Nonpoor	
Age	Prevalence	Sex	Race/Ethnicity					
10-17 years	Current Asthma Prevalence	All	All	9.9	11.6	9.6	9.5	
			Asian	3.6				
			Hispanic	9.3	9.1	8.6	9.9	
			Non-Hispanic White	9.4	11.5	9.8	9.1	
			Non-Hispanic Black	12.9	14.9	11.4	12.5	
			Male	All	11	12.8	10.7	10.7
				Asian	4.5			
				Hispanic	10	9.6	8.3	11.8
				Non-Hispanic White	10.2	10.9	11	10
				Non-Hispanic Black	16	19.4	14	15
			Female	All	8.7	10.5	8.5	8.3
				Asian				
				Hispanic	8.5	8.6	9.1	8
				Non-Hispanic White	8.6	12.2	8.3	8.2
				Non-Hispanic Black	9.7	10.5	8.8	9.7
	18-24 years	Current Asthma Prevalence	All	All	7.5	8.5	7.9	6.8
			Asian	4.9				
			Hispanic	4.7	5.5	3.8	5	
			Non-Hispanic White	7.8	8.9	8.9	7	
			Non-Hispanic Black	10.6	11.7	10.8	9.5	
			Male	All	5.8	6.1	4.8	6.1
				Asian				
				Hispanic	3.5			4.8
				Non-Hispanic White	6	6.2	5.4	6.2
				Non-Hispanic Black	9.6	11.3		9.9
			Female	All	9.2	10.6	10.8	7.6
				Asian				
				Hispanic	6.1	8.4	5	5.3
				Non-Hispanic White	9.5	11.2	11.9	7.9
				Non-Hispanic Black	11.4	12.1	14.2	9

Current Asthma Prevalence

Source NHIS (HDI)

Descriptio% With current asthma as diagnosed by a physician

		2006-2008				2009-2011			
		All	Poor	Near poor	Nonpoor	All	Poor	Near poor	Nonpoor
Sex	Race/Ethnicity								
All	All	10.4	12.8	11.4	9.4	11.1	13.9	12.3	9.7
	Asian	6.3			7.1	8			8.4
	Hispanic	8.5	8.7	8	8.8	9.4	9.4	8.9	10
	Non-Hispanic White	9.7	11.8	12.3	8.9	10.4	14.3	12.6	9.3
	Non-Hispanic Black	15.2	16.9	15	14.1	16.9	20.6	17.6	13.3
Male	All	11.1	13.7	10.5	10.6	11.9	15.1	13.6	10.2
	Asian	8.3			9.7	8.5			9.9
	Hispanic	10.1	11.5	8	10.6	9.6	9.9	8.2	10.6
	Non-Hispanic White	10	12.4	9.6	9.8	11.4	16.3	15	9.7
	Non-Hispanic Black	16.4	17.1	15.5	16.6	18.7	23.1	20.3	14
Female	All	9.6	11.8	12.3	8	10.3	12.6	10.9	9.3
	Asian	4.2				7.5			6.9
	Hispanic	6.9	5.6	8	7	9.2	8.9	9.6	9.3
	Non-Hispanic White	9.5	11.2	15.4	7.8	9.4	12.1	10.2	8.9
	Non-Hispanic Black	14	16.8	14.4	11.6	15.1	18.2	14.7	12.7
All	All	8.6	10.3	7.8	8.2	8.7	9.5	8.6	8.3
	Asian	5.4				5.2	6.5		
	Hispanic	5.4	7	5	4.5	6.4	6.9	4.3	7.9
	Non-Hispanic White	9.6	12.4	9.5	8.7	8.4	9.3	7.7	8.3
	Non-Hispanic Black	8.5	9.7	7.3	8.2	12.7	12	18	9.3
Male	All	7.3	7.8	6.2	7.5	7.3	8.5	8	6.5
	Asian								
	Hispanic	3.9	4.7			5.3	5.9		5.7
	Non-Hispanic White	8.1	8.5	7.3	8.2	6.9	7.7	6.5	6.7
	Non-Hispanic Black	7.3	9.9			11.5	12.1	17.5	7.1
Female	All	9.9	12.4	9.4	8.9	10.1	10.4	9.2	10.4
	Asian								
	Hispanic	7	8.9		6	7.6	7.7	4.2	10.9
	Non-Hispanic White	11.2	16.1	11.6	9.3	9.9	10.7	8.8	10
	Non-Hispanic Black	9.5	9.5	8.6	9.9	13.7	11.9	18.6	12.2

Lifetime Asthma Prevalence

Source NHIS (HDI)

Description % Ever diagnosed with asthma

Year				2003-2005			
Income				All	Poor	Near poor	Nonpoor
Age	Prevalence	Sex	Race/Ethnicity				
10-17 years	Lifetime Asthma Diagnosis	All	All	14.9	16.9	14.7	14.4
			Asian	7.7 *	*		6.9
			Hispanic	14.3	13.8	13.9	15
			Non-Hispanic White	14.3	16.7	14.8	13.9
			Non-Hispanic Black	18.2	20.1	16.8	17.8
		Male	All	17.1	19.5	16.8	16.7
			Asian	9.5 *	*		8.1
			Hispanic	16	15.4	15.1	17.1
			Non-Hispanic White	16.4	17.8	17.4	16
			Non-Hispanic Black	22.3	25.7	19.8	21.5
		Female	All	12.5	14.3	12.4	12
			Asian	6 *	*		*
			Hispanic	12.5	12.1	12.5	12.9
			Non-Hispanic White	12.1	15.5	11.9	11.7
			Non-Hispanic Black	14.1	14.8	13.7	13.8
18-24 years	Lifetime Asthma Diagnosis	All	All	12.7	12.7	13.2	12.4
			Asian	9.8 *	*		*
			Hispanic	8.2	8.4	6.5	9.5
			Non-Hispanic White	13.5	13.8	14.7	13
			Non-Hispanic Black	14.7	15.4	17.1	12.6
		Male	All	11.8	10.6	11.5	12.3
			Asian	7.9 *	*		*
			Hispanic	7.8	6.7	5.8	9.8
			Non-Hispanic White	12.4	11	12.9	12.7
			Non-Hispanic Black	14.5	15	13.7	14.7
		Female	All	13.6	14.5	14.8	12.5
			Asian	11.9 *	*		*
			Hispanic	8.7	10.1	7.2	9
			Non-Hispanic White	14.6	16.2	16.2	13.3
			Non-Hispanic Black	14.8	15.7	20.3	10.6

Lifetime Asthma Prevalence

Source NHIS (HDI)

Description % Ever diagnosed with asthma

Year	Income	Age	Sex	Race/Ethnicity	2006-2008				2009-2011			
					All	Poor	Near poor	Nonpoor	All	Poor	Near poor	Nonpoor
10-17 years	All	All			16.1	18.7	17	15.1	17.5	19.7	18.9	16.2
		Asian			13.5	*	*	15.1	14.4	14.4	10.9	15.4
		Hispanic			13.8	14.8	12.3	14.1	15.8	15	15.3	16.9
		Non-Hispanic White			15.4	17.3	18.5	14.4	16.5	20	18.8	15.5
		Non-Hispanic Black			20.5	20.9	20.3	20.4	24.1	27.5	26	19.9
	Male	All			18.3	22	17.9	17.4	19.3	21.7	21.5	17.6
		Asian			14.8	*	*	16.3	18.6	*	*	21.2
		Hispanic			17.1	20.3	13.3	17.8	16.9	16.4	15.5	18.7
		Non-Hispanic White			16.7	19.9	17.8	16.1	18.4	21.7	22.4	16.9
		Non-Hispanic Black			23.6	23.2	22.3	24.7	27.1	31	30.7	21.6
	Female	All			13.9	15.4	15.9	12.7	15.6	17.7	16.2	14.6
		Asian			12.2	*	*	13.9	10.1	*	*	9.5
		Hispanic			10.3	9	11.2	10.4	14.5	13.5	15.1	15
		Non-Hispanic White			14	15	19.3	12.6	14.6	18.2	14.9	14.1
		Non-Hispanic Black			17.4	18.4	18.2	16.1	21	24	21.2	18.2
18-24 years	All	All			15.4	16.4	14.4	15.4	16.5	16.9	17	16.1
		Asian			11.6	9.6	*	12.9	12.7	11.1	*	15.4
		Hispanic			11.5	13.3	8.1	12.8	12.3	12.6	10.2	13.9
		Non-Hispanic White			16.7	18.7	17.2	15.9	16.9	17.7	18	16.2
		Non-Hispanic Black			14	14	14	14	20.1	19.1	25.3	17.2
	Male	All			15.2	14.5	14	15.9	16.6	17.6	18.2	15.4
		Asian			10.2	*	*	*	14.5	*	*	18.3
		Hispanic			10	10.7	*	12.4	12	13.8	11.3	11.5
		Non-Hispanic White			16.6	15.5	17.1	16.9	17	18.1	20.1	15.6
		Non-Hispanic Black			14.6	14.9	14	14.7	19.7	18	24.7	17.4
	Female	All			15.6	18	14.7	14.8	16.5	16.3	15.9	16.9
		Asian			13.1	*	*	*	11	*	*	*
		Hispanic			13.1	15.5	10.3	13.3	12.6	11.6	9.1	17.3
		Non-Hispanic White			16.8	21.7	17.4	14.8	16.8	17.4	16	16.8
		Non-Hispanic Black			13.5	13.4	13.9	13.4	20.5	19.8	25.9	16.9

Obese

Source NHANES
 Description Obese
 Item Physical Examination

BMI Young Adults Ages 20-25								
	2001-2002				2003-2004			
	Underweight	Normal	Overweight	Obese	Underweight	Normal	Overweight	Obese
Total	3.1%	42.8%	30.0%	24.1%	3.9%	44.4%	25.0%	26.7%
Mexican American	1.1%	42.7%	34.3%	21.9%	1.8%	39.8%	31.0%	27.4%
Other Hispanic	0.0%	44.8%	17.2%	37.9%	0.0%	31.2%	31.2%	37.5%
White NH	5.2%	44.1%	28.8%	21.8%	4.6%	49.2%	24.2%	22.1%
Black NH	2.5%	41.2%	26.1%	30.3%	3.6%	38.4%	22.5%	35.5%
Female Total	3.3%	39.8%	28.5%	28.5%	3.5%	46.0%	21.8%	28.8%
Mexican American	1.0%	39.6%	32.3%	27.1%	3.1%	40.0%	26.2%	30.8%
Other Hispanic	0.0%	36.8%	15.8%	47.4%	0.0%	62.5%	12.5%	25.0%
White NH	6.3%	44.1%	25.9%	23.8%	4.0%	53.2%	21.4%	21.4%
Black NH	0.0%	32.3%	29.2%	38.5%	2.7%	35.1%	20.3%	41.9%
Male Total	2.9%	47.1%	32.1%	17.9%	4.4%	42.6%	28.7%	24.3%
Mexican American	1.2%	46.3%	36.6%	15.9%	0.0%	39.6%	37.5%	22.9%
Other Hispanic	0.0%	60.0%	20.0%	20.0%	0.0%	0.0%	50.0%	50.0%
White NH	3.5%	44.2%	33.7%	18.6%	5.3%	44.7%	27.2%	22.8%
Black NH	5.6%	51.9%	22.2%	20.4%	4.7%	42.2%	25.0%	28.1%

Obese

Source NHANES
 Description Obese
 Item Physical Examination

BMI Young Adults Ages 20-25								
	2005-2006				2007-2008			
	Underweight	Normal	Overweight	Obese	Underweight	Normal	Overweight	Obese
Total	3.7%	41.1%	28.6%	26.6%	2.5%	42.1%	26.6%	28.7%
Mexican American	3.0%	36.9%	37.5%	22.6%	0.8%	35.7%	32.5%	31.0%
Other Hispanic	3.3%	53.3%	23.3%	20.0%	1.6%	36.1%	29.5%	32.8%
White NH	5.1%	42.0%	28.8%	24.1%	4.4%	45.4%	25.1%	25.1%
Black NH	1.5%	40.4%	19.1%	39.0%	1.6%	43.5%	22.6%	32.3%
Female Total	4.5%	39.9%	26.8%	28.8%	3.3%	36.9%	25.1%	34.7%
Mexican American	5.3%	30.9%	36.2%	27.7%	1.4%	34.3%	27.1%	37.1%
Other Hispanic	0.0%	64.7%	23.5%	11.8%	0.0%	34.2%	34.2%	31.6%
White NH	4.6%	41.4%	28.3%	25.7%	5.7%	45.5%	17.0%	31.8%
Black NH	2.6%	40.3%	14.3%	42.9%	3.1%	25.0%	31.2%	40.6%
Male Total	2.7%	42.6%	31.0%	23.6%	1.6%	48.0%	28.3%	22.1%
Mexican American	0.0%	44.6%	39.2%	16.2%	0.0%	37.5%	39.3%	23.2%
Other Hispanic	7.7%	38.5%	23.1%	30.8%	4.3%	39.1%	21.7%	34.8%
White NH	5.7%	42.9%	29.5%	21.9%	3.2%	45.3%	32.6%	18.9%
Black NH	0.0%	40.7%	25.4%	33.9%	0.0%	63.3%	13.3%	23.3%

Obese

Reference Fyar, CD et al (2012). Prevalence of Obesity Among Children and Adolescents: United States, trends 1963-1965 Through 2009-2010

Survey NHANES
Description Obese
Item Physical Examination

Obesity Ages 12-19

	Obesity Prevalence ages 12-19				
	2001-2002	2003-2004	2005-2006	2007-2008	2009-2010
Total	16.7%	17.4%	17.8%	18.1%	18.4%
Female Total	15.7%	16.4%	17.3%	16.8%	17.1%
White NH	13.7%	15.4%	13.5%	14.5%	14.7%
Black NH	22.0%	25.4%	29.8%	29.2%	24.8%
Mexican Ame	20.3%	14.1%	25.4%	17.4%	18.6%
Male Total	17.6%	18.2%	18.2%	19.3%	19.6%
White NH	16.6%	19.1%	15.5%	16.7%	17.5%
Black NH	16.7%	18.4%	18.4%	19.8%	22.6%
Mexican Ame	21.8%	18.3%	25.6%	26.8%	28.9%

Physical Activity

Source NHIS (via HDI)
Description Physical Activity
Item How often do you do VIGOROUS leisure-time physical activities for AT LEAST 10 MINUTES that cause HEAVY sweating or LARGE increases in breathing or heart rate?

Respondents defined as meeting the aerobic guidelines report moderate physical activity for at least 150 minutes per week or who report vigorous physical activity 75 minutes per week or an equivalent combination of moderate and vigorous activity.

Physical Activity: NHIS Data Ages 18-24 years						
Year	1998-2000			2001-2003		
Sex	All	Male	Female	All	Male	Female
18-24 years	50.9	60	41.8	53.1	60.9	45.3

Physical Activity

Source NHIS (via HDI)
Description Physical Activity
Item How often do you do VIGOROUS leisure-time physical activities for AT LEAST 10 MINUTES that cause HEAVY sweating or LARGE increases in breathing or heart rate?

Respondents defined as meeting the aerobic guidelines report moderate physical activity for at least 150 minutes per week or who report vigorous physical activity 75 minutes per week or an equivalent combination of moderate and vigorous activity.

Physical Activity: NHIS Data Ages 18-24 years									
Year	2004-2006			2007-2009			2010-2012		
Sex	All	Male	Female	All	Male	Female	All	Male	Female
18-24 years	50.1	56.8	43.4	53.2	59.4	47.1	59.3	66.3	52.3

Physical Activity

Source YRBS

Description Physically active for at least 60 minutes on 5 or more days in past 7 days

Physically active for at least 60 minutes on 5 or more days in past 7 days					
Grades 9-12		2005	2007	2009	2011
	Total	35.8%	34.7%	37.0%	49.5%
	White NH	38.7%	37.0%	39.9%	52.7%
	Black NH	29.5%	31.1%	32.6%	44.4%
	Hispanic	32.9%	30.2%	33.1%	45.4%
	Male	43.8%	43.7%	45.6%	59.9%
	White NH	46.9%	46.1%	47.3%	62.1%
	Black NH	38.2%	41.3%	43.3%	57.1%
	Hispanic	39.0%	38.6%	41.3%	57.1%
	Female	27.8%	25.6%	27.7%	38.5%
	White NH	30.2%	27.9%	31.3%	42.6%
	Black NH	21.3%	21.0%	21.9%	31.9%
	Hispanic	26.5%	21.9%	24.9%	33.0%

USDA Recommendations

- Muscle strengthening @ least 3 days a week
- Bone strengthening @ least 3 days a week
- < 18-64 years: @ least 2 hours 30 min of aerobic physical activity/week @ moderate level or 1 hour and 15 min @ vigorous level
 - Strengthening activities @ least 2 days a week

TV viewing (3 or more hours per day)

Source YRBS
 Description TV viewing (3 or more hours per day)
 Item On an average school day, how many hours do you watch TV?

Watched television 3 or more hours per day on average school day								
		1999	2001	2003	2005	2007	2009	2011
Grades 9-12	Total	42.8%	38.3%	38.2%	37.2%	35.4%	32.8%	32.4%
	AI/AN	N/A	48.50%	38.8%	42.0%	33.5%	31.3%	36.0%
	Asian	38.1%	30.8%	35.4%	29.2%	25.6%	23.8%	26.1%
	Black	73.7%	68.9%	67.2%	64.1%	62.7%	55.5%	54.6%
	Hispanic or Latino	52.2%	47.8%	45.9%	45.8%	43.0%	41.9%	37.8%
	NHOPI	49.3%	46.8%	N/A	N/A	35.8%	40.1%	30.3%
	White	34.2%	31.0%	29.3%	29.2%	27.2%	24.8%	25.6%
	Multiple Race	41.2%	40.6%	46.2%	40.0%	37.5%	34.6%	33.5%
	Female Total	41.0%	35.0%	37.0%	36.3%	33.2%	32.1%	31.6%
	AI/AN	N/A	44.2%	N/A	N/A	30.4%	N/A	37.5%
Asian	33.0%	30.3%	35.0%	26.5%	26.3%	23.6%	24.8%	
Black	74.4%	68.6%	70.0%	64.5%	60.6%	57.4%	54.9%	
Hispanic or Latino	51.6%	46.0%	45.1%	45.8%	43.6%	41.5%	37.2%	
NHOPI	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
White	31.0%	26.5%	26.8%	28.1%	24.0%	22.7%	23.9%	
Multiple Race	41.1%	41.6%	42.9%	36.6%	38.6%	35.2%	37.4%	
Male Total	44.5%	41.8%	39.3%	38.0%	37.5%	33.5%	33.3%	
AI/AN	N/A	53.1%	N/A	N/A	36.1%	N/A	34.6%	
Asian	42.5%	31.0%	36.6%	31.5%	25.0%	24.1%	27.2%	
Black	73.0%	69.1%	64.3%	63.5%	64.6%	53.7%	54.4%	
Hispanic or Latino	52.7%	49.7%	46.8%	45.8%	42.4%	42.4%	38.4%	
NHOPI	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
White	37.2%	35.7%	31.7%	30.2%	30.4%	26.6%	27.3%	
Multiple Race	41.4%	39.6%	49.4%	43.5%	36.2%	33.9%	29.0%	

<http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=L&OUT=0&SID=HS&QID=H80&LID=XX&YID=YY&LID2=&YID2=&COL=S&ROW1=R&ROW2=N&HT=&LCT=&FS=&FR=&FG=1&FSL=1&FRL=1&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=1&VA=CI&CS=Y&SYID=1999&EYID=2011&SC=DEFAULT&SO=ASC>

Games/Internet (3 or more hours per day)

Source	YRBS
Description	Games/Internet (3 or more hours per day)
Item	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)

Used Computers 3 or more Hours Per Day on an average school day						
(played video or computer games or used a computer for something that was not school work on an avg. school day)						
		2003	2005	2007	2009	2011
Grades 9-12	Total	22.1%	21.1%	24.9%	24.9%	31.1%
	AI/AN	30.7%	22.7%	20.8%	28.5%	30.0%
	Asian	26.6%	32.7%	35.4%	39.9%	42.1%
	Black	26.2%	25.2%	30.5%	30.4%	38.1%
	Hispanic or Latino	21.4%	19.8%	26.3%	25.7%	32.4%
	NHOPI	N/A	N/A	29.0%	30.8%	29.0%
	White	20.5%	19.6%	22.6%	22.1%	28.1%
	Multiple Race	26.9%	27.4%	22.6%	29.2%	33.3%
	Female Total	16.5%	14.8%	20.6%	21.2%	26.6%
	AI/AN	N/A	N/A	13.0%	N/A	29.1%
	Asian	22.5%	25.2%	32.6%	33.6%	42.7%
	Black	18.9%	16.1%	26.7%	27.5%	35.2%
	Hispanic or Latino	15.1%	14.9%	21.8%	23.0%	28.3%
	NHOPI	N/A	N/A	N/A	N/A	N/A
	White	16.1 %	13.70%	18.20%	17.80%	22.60%
	Multiple Race	12.20%	15.50%	16.40%	25.90%	31.65%
	Male Total	27.3%	27.4%	29.1%	28.3%	35.3%
	AI/AN	N/A	N/A	27.4%	N/A	30.8%
	Asian	30.3%	39.1%	37.8%	46.5%	41.6%
	Black	33.4%	34.9%	34.0%	33.2%	41.1%
	Hispanic or Latino	27.6%	24.4%	30.7%	28.4%	36.3%
	NHOPI	N/A	N/A	N/A	N/A	N/A
	White	24.6%	25.4%	26.9%	25.9%	33.3%
	Multiple Race	40.1%	40.8%	30.2%	33.1%	35.2%

<http://apps.nccd.cdc.gov/youthonline/App/Results.aspx?TT=K&OUT=0&SID=HS&QID=H81&LID=LL&YID=YY&LID2=&YID2=&COL=&ROW1=&ROW2=&HT=&LCT=LL&FS=1&FR=1&FG=1&FSL=&FRL=&FGL=&PV=&TST=False&C1=&C2=&QP=G&DP=1&VA=C1&CS=Y&SYID=2003&EYID=2011&SC=DEFAULT&SO=ASC>

Healthcare Access and Utilization

Source National Health Interview Survey - Independent Analysis of Data Set

Healthcare Access and Utilization						
		2000	2006	2010	2011	2012
Ages 10-17	Full Year Insured	84.80%	86.40%	87.10%	88.00%	88.90%
	Full Year Uninsured	7.70%	6.60%	6.40%	5.00%	5.20%
	Partial Year Uninsured	7.50%	7.00%	6.50%	7.10%	6.00%
	Health is excellent, very good, or good	98.10%	97.90%	97.50%	97.60%	97.30%
	Usual Place When Sick	91.60%	93.70%	93.40%	95.50%	94.80%
	Had Doctor visit, past year (besides hospital, ER, surg.)	83.30%	84.20%	88.10%	88.10%	88.10%
	Had Well Check- up, past year	62.70%	66.20%	74.40%	74.40%	73.80%
	Had 1+ ER visit, past year	18.00%	17.50%	18.90%	15.90%	14.50%
	Dentist visit, past year	81.40%	83.50%	84.70%	86.40%	87.20%
	Delay in Care, past year	7.20%	8.00%	9.10%	9.40%	8.70%
	Unmet Need for Dental Care, past year	7.30%	8.60%	8.30%	7.40%	7.10%
	Unmet Need for Prescriptions, past year	2.40%	3.50%	2.90%	3.10%	2.60%
			2000	2006	2010	2011
Ages 18-25	Full Year Insured	63.90%	61.80%	61.90%	66.10%	69.30%
	Full Year Uninsured	18.70%	22.80%	20.40%	18.90%	17.70%
	Partial Year Uninsured	17.40%	15.50%	17.80%	15.00%	13.00%
	Health is excellent, very good, or good	96.50%	95.90%	95.50%	95.60%	95.40%
	Usual Place When Sick	74.80%	71.90%	72.60%	74.20%	73.10%
	Had Doctor visit, past year (besides hospital, ER, surg.)	73.30%	71.30%	70.00%	71.60%	70.70%
	Had Well Check- up, past year	ND	ND	ND	ND	ND
	Had 1+ ER visit, past year	25.80%	24.50%	25.20%	23.40%	22.50%
	Dentist visit, past year	52.30%	60.00%	56.70%	60.10%	61.00%
	Delay in Care, past year	9.30%	10.30%	12.70%	11.20%	10.50%
	Unmet Need for Dental Care, past year	11.70%	14.90%	17.50%	14.00%	13.40%
	Unmet Need for Prescriptions, past year	7.60%	9.90%	10.00%	7.70%	7.30%

Healthcare Access and Utilization

Description

Full Year Insured

Definitions

Full Year Insured: insured for full year prior to NHIS interview

In the PAST 12 MONTHS, was there any time when [fill: you/ALIAS] did NOT have ANY health insurance or coverage?

Full Year Uninsured

Full Year Uninsured: uninsured for full year prior to NHIS interview

In the PAST 12 MONTHS, was there any time when [fill: you/ALIAS] did NOT have ANY health insurance or coverage?

Partial Year Uninsured

Partial Year Uninsured: uninsured for part of year prior to NHIS interview

In the PAST 12 MONTHS, was there any time when [fill: you/ALIAS] did NOT have ANY health insurance or coverage?
General health is excellent, very good, or good NHIS interview

Health is excellent, very good, or good

Would you say [fill: your/ALIAS's] health in general is excellent, very good, good, fair, or poor?

Usual Place When Sick

· Usual place When Sick: place one usually goes to when he/she is sick or when parent needs advice about his/her health (no time frame)

Is there a place that you USUALLY go to when you are sick or need advice about your health?

Had Doctor visit, past year (besides hospital, ER, surg.)

· Had Doctor visit, past year (besides hospital, ER, surg.): had a doctor visit in the past 12 months; does not include hospitalization, emergency room visit, home visit, dental visit or telephone call

DURING THE PAST 12 MONTHS, HOW MANY TIMES have you seen a doctor or other health care professional about your own health at a DOCTOR'S OFFICE, A CLINIC, OR SOME OTHER PLACE? Do not include times you were hospitalized overnight, visits to hospital emergency rooms, home visits, dental visits, or telephone calls.

Had Well Check- up, past year

Had Well Check- up, past year: had a well-child check up, that is a general check-up, in past 12 months

DURING THE PAST 12 MONTHS, did [fill1: alias] receive a well-child check-up, that is a general check-up, when [fill2: he/she] was not sick or injured?

Healthcare Access and Utilization

Description

Had 1+ ER visit, past year

Definitions

Had 1+ ER visit, past year: went to a hospital emergency room one or more times in past 12 months; includes ER visits that resulted in a hospital admission

DURING THE PAST 12 MONTHS, HOW MANY TIMES have you gone to a HOSPITAL EMERGENCY ROOM about your own health (This includes emergency room visits that resulted in a hospital admission.)?

Dentist visit, past year

Dentist visit, past year: saw a dentist in past 12 months; includes all types of dentists and dental hygienists

About how long has it been since you last saw a dentist? Include all types of dentists, such as orthodontists, oral surgeons, and all other dental specialists, as well as dental hygienists.

Delay in Care, past year

Delay in Care, past year: delayed in getting medical care in past 12 months

There are many reasons people delay getting medical care. Have you delayed getting care for any of the following reasons in the PAST 12 MONTHS?

...You couldn't get through on the telephone.

...You couldn't get an appointment soon enough.

..Once you get there, you have to wait too long to see the doctor.

...The (clinic/doctor's) office wasn't open when you could get there.

...You didn't have transportation

Unmet Need for Dental Care, past year

Unmet Need for Dental care past year: needed dental care but didn't get it because could not afford it, in past 12 months

DURING THE PAST 12 MONTHS, was there any time when you needed any of the following, but didn't get it because you couldn't afford it? ...Dental care (including check ups)

Healthcare Access and Utilization

Description

Unmet Need for Prescriptions, past year

Definitions

Unmet Need for Prescriptions past year: needed prescription medicines but didn't get because could not afford it, in past 12 months

DURING THE PAST 12 MONTHS, was there any time when you needed any of the following, but didn't get it because you couldn't afford it? ...Prescription medicines.

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2000

	Indicator	Total group	Poverty Status		
			FPL lowest	FPL middle	FPL highest
Insurance status:					
Full Year Insured	Ages 10-17	84.8%	72.3%	70.9%	92.4%
	Ages 18-25	63.9%	52.8%	51.4%	72.3%
Full Year Uninsured	Ages 10-17	7.7%	16.1%	14.7%	3.4%
	Ages 18-25	18.7%	27.1%	29.2%	12.0%
Partial Year Uninsured	Ages 10-17	7.5%	11.6%	14.5%	4.3%
	Ages 18-25	17.4%	20.1%	19.3%	15.7%
Types of Visits:					
Usual Place When Sick	Ages 10-17	91.6%	83.4%	87.0%	95.2%
	Ages 18-25	74.8%	70.5%	66.4%	79.6%
Had Doctor visit, past year (besides hosp, ER, surg.)	Ages 10-17	83.3%	77.6%	78.2%	86.5%
	Ages 18-25	73.3%	68.2%	70.2%	76.3%
Had Well Check- up, past	Ages 10-17	62.7%	58.8%	54.8%	66.2%
Had 1+ ER visit, past year	Ages 10-17	18.0%	20.9%	21.8%	16.0%
	Ages 18-25	25.8%	28.0%	27.0%	24.7%
Dentist visit, past year	Ages 10-17	81.4%	65.4%	70.9%	88.9%
	Ages 18-25	52.3%	44.4%	38.5%	60.6%
Delay in care, Unmet Needs:					
Delay in Care, past year	Ages 10-17	7.2%	10.3%	7.4%	6.4%
	Ages 18-25	9.3%	8.4%	9.9%	9.3%
Unmet Need for Dental Care, past year	Ages 10-17	7.3%	10.6%	13.7%	4.4%
	Ages 18-25	11.7%	13.6%	15.4%	9.7%
Unmet Need for Prescriptions, past year	Ages 10-17	2.4%	4.4%	4.8%	1.1%
	Ages 18-25	7.6%	9.9%	10.1%	5.9%

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2000

	Indicator	Racial/Ethnic Group			Gender	
		White	Black	Hispanic	Male	Female
Insurance status:						
Full Year Insured	Ages 10-17	88.9%	82.2%	68.8%	85.2%	84.2%
	Ages 18-25	70.5%	60.7%	37.7%	62.3%	65.5%
Full Year Uninsured	Ages 10-17	4.8%	7.4%	21.8%	7.5%	8.0%
	Ages 18-25	11.8%	21.8%	47.3%	23.3%	14.1%
Partial Year	Ages 10-17	6.3%	10.5%	9.4%	7.3%	7.7%
	Ages 18-25	17.5%	17.5%	15.0%	14.4%	20.3%
Types of Visits:						
Usual Place When	Ages 10-17	94.1%	89.7%	82.6%	91.8%	91.4%
	Ages 18-25	79.0%	74.8%	57.6%	66.5%	83.1%
Had Doctor visit, past year (besides	Ages 10-17	86.3%	80.6%	73.2%	83.9%	82.8%
	Ages 18-25	77.4%	74.8%	57.8%	61.7%	84.9%
Had Well Check-	Ages 10-17	63.3%	67.7%	55.4%	64.0%	61.3%
Had 1+ ER visit,	Ages 10-17	18.6%	17.4%	15.8%	18.9%	17.0%
	Ages 18-25	27.4%	31.5%	17.0%	22.4%	29.3%
Dentist visit, past	Ages 10-17	86.8%	73.6%	66.4%	81.1%	81.8%
	Ages 18-25	59.2%	44.1%	30.9%	47.4%	57.2%
Delay in care, Unmet Needs:						
Delay in Care, past year	Ages 10-17	6.6%	8.6%	9.1%	6.5%	8.0%
	Ages 18-25	9.9%	9.3%	6.6%	6.0%	12.6%
Unmet Need for Dental Care, past	Ages 10-17	7.1%	7.9%	8.7%	6.4%	8.2%
	Ages 18-25	13.1%	10.3%	9.1%	10.1%	13.3%
Unmet Need for Prescriptions, past	Ages 10-17	2.0%	3.2%	3.3%	2.3%	2.5%
	Ages 18-25	8.3%	7.3%	6.3%	6.2%	9.0%

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2000

		Insurance Status		
	Indicator	Full Year Insured	Full Year Uninsured	Partial Year Insured
Insurance status:				
Full Year Insured	Ages 10-17	N/A	N/A	N/A
	Ages 18-25	N/A	N/A	N/A
Full Year Uninsured	Ages 10-17	N/A	N/A	N/A
	Ages 18-25	N/A	N/A	N/A
Partial Year Uninsured	Ages 10-17	N/A	N/A	N/A
	Ages 18-25	N/A	N/A	N/A
Types of Visits:				
Usual Place When Sick	Ages 10-17	95.6%	58.9%	81.0%
	Ages 18-25	86.4%	42.0%	71.6%
Had Doctor visit, past year (besides hosp,	Ages 10-17	86.2%	60.7%	76.3%
	Ages 18-25	80.8%	47.1%	76.9%
Had Well Check- up,	Ages 10-17	66.1%	37.1%	50.3%
Had 1+ ER visit, past	Ages 10-17	18.5%	12.3%	19.2%
	Ages 18-25	26.7%	19.8%	32.1%
Dentist visit, past year	Ages 10-17	86.8%	42.2%	61.0%
	Ages 18-25	65.7%	20.4%	42.9%
Delay in care, Unmet Needs:				
Delay in Care, past year	Ages 10-17	7.0%	7.5%	9.9%
	Ages 18-25	9.2%	6.9%	12.5%
Unmet Need for Dental Care, past year	Ages 10-17	4.3%	23.8%	25.1%
	Ages 18-25	4.9%	23.5%	24.5%
Unmet Need for Prescriptions, past	Ages 10-17	1.1%	10.4%	7.7%
	Ages 18-25	3.3%	16.2%	14.3%

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2012

	Indicator	Total group	Poverty Status		
			FPL lowest	FPL middle	FPL highest
Insurance status:					
Full Year Insured	Ages 10-17	88.9%	84.6%	82.1%	93.0%
	Ages 18-25	69.3%	63.2%	55.0%	80.6%
Full Year Uninsured	Ages 10-17	5.2%	8.1%	8.6%	2.8%
	Ages 18-25	17.7%	22.0%	25.6%	10.9%
Partial Year Uninsured	Ages 10-17	6.0%	7.3%	9.3%	4.2%
	Ages 18-25	13.0%	14.8%	19.5%	8.5%
Types of Visits:					
Usual Place When Sick	Ages 10-17	94.8%	92.1%	93.0%	96.5%
	Ages 18-25	73.1%	70.2%	67.4%	78.0%
Had Doctor visit, past year (besides hosp, ER, surg.)	Ages 10-17	88.1%	85.6%	85.2%	90.0%
	Ages 18-25	70.7%	69.4%	66.6%	73.7%
Had Well Check- up, past	Ages 10-17	73.8%	72.7%	69.5%	75.8%
Had 1+ ER visit, past year	Ages 10-17	14.5%	20.1%	16.1%	11.9%
	Ages 18-25	22.5%	27.8%	25.4%	17.8%
Dentist visit, past year	Ages 10-17	87.2%	79.1%	82.6%	91.6%
	Ages 18-25	61.0%	53.9%	53.4%	69.3%
Delay in care, Unmet Needs:					
Delay in Care, past year	Ages 10-17	8.7%	15.2%	9.8%	6.1%
	Ages 18-25	10.5%	12.8%	11.6%	8.5%
Unmet Need for Dental Care, past year	Ages 10-17	7.1%	10.0%	11.0%	4.5%
	Ages 18-25	13.4%	16.8%	20.0%	7.9%
Unmet Need for Prescriptions, past year	Ages 10-17	2.6%	4.4%	3.5%	1.7%
	Ages 18-25	7.3%	10.8%	9.4%	4.1%

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2012

		Racial/Ethnic Group			
Indicator		White	Black	Hispanic	Asian
Insurance status					
Full Year Insured	Ages 10-17	90.9%	90.3%	82.2%	89.7%
	Ages 18-25	77.9%	67.1%	45.7%	69.7%
Full Year Uninsured	Ages 10-17	3.4%	2.7%	11.3%	5.6%
	Ages 18-25	11.0%	15.5%	38.6%	15.9%
Partial Year Uninsured	Ages 10-17	5.7%	7.0%	6.6%	4.7%
	Ages 18-25	11.1%	17.5%	15.6%	14.4%
Types of Visits					
Usual Place When Sick	Ages 10-17	96.6%	94.9%	90.9%	91.6%
	Ages 18-25	78.6%	72.3%	60.1%	63.3%
Had Doctor visit, past year (besides hosp, ER,	Ages 10-17	90.3%	89.2%	82.4%	84.3%
	Ages 18-25	76.1%	68.7%	57.6%	66.1%
Had Well Check- up,	Ages 10-17	73.8%	80.5%	70.4%	69.4%
	Ages 18-25	23.9%	27.3%	17.1%	13.8%
Had 1+ ER visit, past	Ages 10-17	14.3%	18.7%	12.6%	7.7%
	Ages 18-25	23.9%	27.3%	17.1%	13.8%
Dentist visit, past year	Ages 10-17	89.4%	85.0%	83.2%	85.1%
	Ages 18-25	65.9%	58.4%	49.5%	56.9%
Delay in care, Unmet Needs					
Delay in Care, past year	Ages 10-17	6.6%	10.6%	12.7%	7.9%
	Ages 18-25	10.1%	10.4%	11.2%	10.8%
Unmet Need for Dental Care, past year	Ages 10-17	6.4%	6.3%	9.8%	4.2%
	Ages 18-25	13.2%	15.0%	14.0%	9.4%
Unmet Need for Prescriptions, past	Ages 10-17	2.2%	3.5%	3.5%	1.5%
	Ages 18-25	7.3%	8.3%	7.6%	2.1%

Healthcare Access and Utilization - Racial/Ethnic, Insurance, and Income Breakdowns, 2012

	Indicator	Gender		Insurance Status		
		Male	Female	Full Year Insured	Full Year Uninsured	Partial Year Insured
Insurance status						
Full Year Insured	Ages 10-	89.3%	88.4%	N/A	N/A	N/A
	Ages 18-	66.9%	71.7%	N/A	N/A	N/A
Full Year Uninsured	Ages 10-	4.8%	5.6%	N/A	N/A	N/A
	Ages 18-	21.8%	13.7%	N/A	N/A	N/A
Partial Year Uninsured	Ages 10-	5.9%	6.1%	N/A	N/A	N/A
	Ages 18-	11.4%	14.7%	N/A	N/A	N/A
Types of Visits						
Usual Place When Sick	Ages 10-17	94.5%	95.2%	97.4%	62.0%	86.5%
	Ages 18-25	67.3%	79.0%	84.5%	37.6%	63.0%
Had Doctor visit, past year (besides hosp,	Ages 10-17	87.9%	88.3%	90.1%	60.4%	81.5%
	Ages 18-25	58.4%	82.8%	79.1%	38.2%	72.6%
Had Well Check- up,	Ages 10-17	74.2%	73.4%	76.5%	39.7%	63.2%
Had 1+ ER visit, past	Ages 10-17	14.7%	14.2%	14.3%	14.0%	17.0%
	Ages 18-25	17.9%	27.0%	21.5%	18.5%	33.3%
Dentist visit, past year	Ages 10-17	87.6%	86.6%	90.4%	47.6%	72.6%
	Ages 18-25	58.5%	63.6%	72.5%	26.7%	49.3%
Delay in care, Unmet Needs						
Delay in Care, past year	Ages 10-17	8.1%	9.3%	8.6%	5.4%	13.2%
	Ages 18-25	8.0%	12.9%	9.7%	9.1%	16.2%
Unmet Need for Dental Care, past year	Ages 10-17	6.2%	8.0%	4.9%	23.9%	24.2%
	Ages 18-25	10.6%	16.2%	6.6%	29.5%	28.9%
Unmet Need for Prescriptions, past	Ages 10-17	2.3%	3.0%	1.9%	9.0%	7.7%
	Ages 18-25	5.5%	9.0%	3.4%	17.1%	14.3%